

बिहार पशुचिकित्सा महाविद्यालय, पटना-800014
बिहार पशु विज्ञान विश्वविद्यालय, पटना

Email : principalbvc@gmail.com, Fax No. 0612-2222231


पत्रांक...४९७...बी० भी० सी० पटना,

दिनांक...२७/१०/२०१८

निलामी सूचना

सर्वसाधारण को सूचित किया जाता है कि इस महाविद्यालय के विभिन्न विभागों, शाखाओं में पुराने सामानों का निलामी बन्दोवस्ती दिनांक 15.11.2018 समय 11.00 बजे आम जनता के बीच किया जायेगा, जो कि जरूरत पड़ने पर 16.11.2018 एवं 17.11.2018 को भी चलते रहेगा। सामानों की सूची इस पत्र के साथ सन्लग्न किया जाता है। डाक वक्ता समानों को भिन्न-भिन्न शाखाओं/विभागों में भ्रमण कर जानकारी प्राप्त कर सकते हैं। डाक बोलने के पूर्व निम्नलिखित शर्तों का पालन करना पड़ेगा।

1. डाक बोलने के पूर्व डाक वक्ता को 20,000.00 (बीस हजार जमानत की राशि कैश के रूप में जमा करनी पड़ेगी जो राशि सफल डाकवक्ता को छोड़ बाकी सभी को डाक समिति के बाद लौटा दिया जायेगा एवं सफल डाक वक्ता की राशि उनके डाक की रकम में समायोजन किया जायेगा।
2. डाक वक्ता को अपना आधार कार्ड, पैन कार्ड, आवासीये प्रमाण पत्र प्रस्तुत करना पड़ेगा।
3. सफल डाक वक्ता डाक की राशि उसी समय इस महाविद्यालय के कोषापाल के पास जमा करना पड़ेगा तथा राशि जमा करने के प्राप्ती रसीद कोषापाल से प्राप्त करें।
4. डाक रद्द करने का अधिकार डाक समिति को प्रदत्त रहेगी। समिति बिना कोई कारण बताये डाक रद्द कर सकती है।



अधिष्ठाता

बिहार पशु चिकित्सा महाविद्यालय,
पटना-14

ज्ञापांक ४९७ / बी.भी.सी. / पटना

दिनांक २७/१०/२०१८

प्रतिलिपि सूचना पट/कृषि फार्म गीठापुर/संजय गौधी गव्य संस्थान पटना-14/पशु पालन विभाग, पटना/श्री शिवकुमार, प्रहरी सुरक्षा को आदेश दिया जाता है कि राजाबजार, आशियाना, जगदेवपथ आदि स्थानों पर आरा मशीनों को सूचना प्रदान करें।


अधिष्ठाता

बिहार पशु चिकित्सा महाविद्यालय,
पटना-14


ज्ञापांक ४९७ / बी.भी.सी. / पटना

दिनांक २७/१०/२०१८

प्रतिलिपि : प्रभारी सुरक्षा, सम्पदा पदाधिकारी, प्रभारी संयुक्त पशुप्रक्षेत्र को सूचनार्थ प्रेषित।

INDEX OF CONDEMNED ARTICLES

Sl. No	Section	Page No.	No. of Discardable Articles
1.	LIBRARY	1 to 2	23
2.	AGB	2 to 5	17
3.	AGB COMPUTER LAB.	5 to 5	6
4.	OTHER ARTICLE (B)	5 to 6	2
5.	FURNITURE (C)	6 to 6	2
6.	AGB MOLECULAR (LAB)	6 to 7	20
7.	PATHOLOGY	7 to 9	30
8.	BIOCHEMISTRY	9 to 15	62
9.	PHYSIOLOGY	15 to 18	78
10.	VPH	18 to 20	28
11.	ANIMAL NUTRITION	20 to 23	40
12.	FURNITURE	23 to 24	10
13.	IL FC	24 to 26	21
14.	SURGERY & RADIOLOGY	26 to 32	82
15.	PARASITOLOGY	32 to 33	12
16.	HOSTEL 1	33 to 33	7
17.	HOSTEL 2	33 to 34	9
18.	HOSTEL 3	34 to 35	11
19.	HOSTEL 4(GIRLS)	36 to 36	9
20.	LPT	36 to 42	135
21.	EXTENSION EDUCATION-AHE	42 to 46	64
22.	Training Hall	46	5
23.	PROJECT HOSTEL	46 to 48	25
24.	PHOTO ART SECTION	48 to 51	45
25.	ARTICLES RECEIVED UNDER T.C.M	51 to 54	17
26.	FURNITURE'S	54 to 55	13
27.	CONFERENCE HALL	55 to 55	4
28.	PHARMACOLOGY & TOXICOLOGY	55 to 58	29
29.	GAMES & SPORTS	58 to 59	32
30.	MICROBIOLOGY	59 to 64	68
31.	GUEST HOUSE	64 to 68	68
32.	MEDICINE	68 to 71	50
33.	ANATOMY	71 to 72	11


27/8/18

LIST OF ITEM TO BE DISCARDED DURING 2018-19

LIBRARY							
Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
1	2	3	4	5	6	7	8
1	Office Chair Cane Seated with Arms	6	-	28 yrs	24 yrs	4 years	Broken
2	Wooden Chair wood seated	1	-	28 "	27 "	1 "	Broken
3	Office Table with Raxin Top & Drawer	2	-	28 "	27 "	1 "	Broken & Very old
4	Teak Wood Almirah Sliding closed door	2	-	28 "	27 "	1 "	Unrepairable & Very old
5	What Not	1	-	28 "	26 "	2 "	Broken & Very old
6	Wood book case almirah having sectionai glass door	9	-	28 "	26 "	2 "	Broken & Very old
7	T.W Book Rack	1	-	28 "	26 "	2 "	Of no use so discardable
8	Wooden closed door Almirah	1	-	28 "	26 "	2 "	Broken
9	Wooden Almirah glass door	2	-	28 "	26 "	2 "	Broken & so discardable
10	Tubular witing table summ.ca top fitted three drawers	1	-	28 "	26 "	2 "	Broken
11.	Godrej type writer English	1	-	28 "	26 "	2 "	Broken
12	Modi Xerox Machine	2	-	28 "	20 "	8 "	Broken
13	Voltage Stabilizer	1	-	28 "	20 "	8 "	Unrepairable
14	Bajaj Emargecny light	1	-	17 "	5 "	12 "	Unrepairable
15	Wooden Chair	20	-	18 "	12 "	6 "	Broken

Sl. no 1 to 15 articles are verified and found discardable

Article
20/8/18

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M. Sinha)
Chairman Animal Nutrition

(S. Samnata Ray)
(Dean, BVC)

9

Sl. No	Name of Article	Qty	Price at the Time of Purchase	Period off Article Under Stock Register	Period of Serviceable Item	Period of Unserviceable Item	Remarks
16	Vacuum Cleaner	1	-	14 years	8 years	6 years	Unrepairable
17	Su-Kam Inverter & Battery	1	-	14 "	7 "	7 "	Unserviceable & Very old
18	Celling Fane	5	-	14 "	12 "	2 "	Unrepairable & very old
19	Monitor	6	-	05 "	3 "	2 "	Unserviceable & Very old
20	Computer & CPU	7	-	05 "	3 "	2 "	Unrepairable & old
21	Printer	4	-	05 "	3 "	2 "	Unrepairable
22	UPS with Battery	6	-	05 "	3 "	2 "	Unrepairable & Broken
23	HP Server ML- 150 + HP 17" CRT Monitor	1	-	05 "	3 "	2 "	Unserviceable

AGB

1	2	3	4	5	6	7	8
1	Balance for weighting small lab animal	03	Not available	8 Years	4 Years	More than 3 Years	Unrepairable
2	Cork borer	01	N/A	Do-	4 Years	Do-	Unrepairable & Very old
3	Hygrometer small	03	N/A	Do-	Do-	Do-	Unserviceable & very old
4	Slide Box	03	N/A	Do-	Do-	Do-	Broken & Very old
5	I. Tray	04	N/A	Do-	Do-	Do-	Broken & Very old
6	Magnifying glass	02	N/A	Do-	Do-	Do-	Broken & Very old
7	Knife	01	N/A	Do-	Do-	Do-	Broken & Very old
8	Lock small (link with one key)	04	N/A	Do-	Do-	Do-	Broken & Very old
9	German hand tlycounter	05	N/A	Do-	Do-	Do-	Broken & Very old
10	Pilas	01	N/A	Do-	Do-	Do-	Very old & Broken
11	Bottle opener	01	N/A	Do-	Do-	Do-	Junk
12	Beak high power microscope	06	N/A	15 Years	10 Years	More than 4 Years	Unrepairable & Very old
13	K.ima microscope (student)	04	N/A	Do-	Do-	More than 3 Years	Unrepairable & Very old

Item no. 16 to 23 from Library and Item no. 1 to 13 have been physically verified and found Unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C. Mohan)
Chairman Animal Nutrition

(S. Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
14	PZG microscope	03	N/A	12 Years	8 Years	More than 4 Years	Unrepairable & Very old
15	Spenter High power microscope	03	N/A	Do-	7Years	More than 3 Years	Unrepairable & Very old
16	B&L Microscope	01	N/A	10 Years	6 Years	Do-	Unrepairable & Very old
17	Attached mechanized stage microscope	02	N/A	Do-	Do-	Do-	Unrepairable & Very old
18	What not	01	N/A	15 Years	10 Years	More than 4 Years	Broken & Very old
19	Office table with one drawer & one cup board	01	Not Available	Do-	Do-	Do-	Broken
20	Table with one drawer	02	N/A	Do-	Do-	Do-	Broken
21	Wooden almirrah with glass fitted door	02	N/A	Do-	Do-	Do-	Broken & Very old
22	Book shelf (small almirrah)	01	N/A	10 Years	6 Years	More than 3 Years	Unrepairable & Very old
23	Working bench	02	N/A	8 Years	4 Years	Do-	Broken & Very old
24	Tekua	01	N/A	Do-	Do-	Do-	Broken
25	Wooden bench for seating	02	N/A	10 Years	6 Years	Do-	Broken & very old
26	Godrej typewriter	01	N/A	15 Years	8 Years	More than 6 Years	Unrepairable & very old
27	Chair can seated (wooden)	04	N/A	8 Years	4 Years	More than 3 Years	Broken & very old
28	Stand for chart	01	N/A	15 Years	8 Years	More than 6 Years	Broken & very old
29	Prabhat stove	01	N/A	Do-	Do-	Do-	Junk & broken
30	Voltage stabilizer (sen & pandit)	01	N/A	8 Years	4 Years	More than 3 Years	Unrepairable & Very old
	Scientific electronic calculator	05	N/A	Do-	4 Years	Do-	Unrepairable
31	Room heater with blowers	01	N/A	Do-	Do-	Do-	Unrepairable & Very old
32	Navtal lock (6leyer)	01	N/A	Do-	3 Years	More than 4 Years	Junk

Item no. 14 to 32 of this list has been physically verified and found unserviceable

B.C. Patel
20-8-18
(B.C. Patel)
Asstt Comptroller, BVC

R.K. Sinha
(R.K. Sinha)
Asstt Prof, LPM

M.K. Sinha
20/8/18
(M.K. Sinha)
Asstt Prof, Anat

C.M.
20/8/18
(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
34	Godrej revolving chair	04	N/A	15 Years	6 Years	More than 8 Years	Unrepairable
35	Screw gaze	01	N/A	8 Years	3 Years	More than 4 Years	Unrepairable & Very old
36	Verniar calipers	03	N/A	Do-	4 Years	More than 3 Years	Unrepairable
37	IBM computer	01	N/A	Do-	Do-	Do-	Unrepairable
38	H.P.Laser Jet Printer	01	Not Available	More Than 10 Years	6 Years	More than 4 Years	Unrepairable & Very old
39	05 KVA UPS	04	N/A	Do-	Do-	Do-	Unrepairable
40	Aqua guard	01	N/A	8 Years	3 Years	Do-	Unrepairable
41	Celling fan	02	N/A	15 Years	10 Years	Do-	Unrepairable & Very old
42	Revolving stool	04	N/A	8 Years	3 Years	Do-	Broken
43	Link lock attot 50No	01	N/A	Do-	4 Years	More than 3 Years	Unserviceable
44	Link lock attot 50N	01	N/A	8 Years	Do-	Do-	Unrepairable & Very old
45	Chalk Board	01	N/A	Do-	3 Years	More than 4 Years	Broken
46	Exide Battery with trolley	01	N/A	Do-	4 Years	More than 3 Years	Unserviceable
47	Wall fan	01	Not available	More than 8 Years	4 Years	More Than 3 Years	Unrepairable
48	Wooden stool	10	N/A	10 Years	6 Years	Do-	Broken & Very old
49	Biological Almirah	02	N/A	15 Years	7 Years	5 Years	Broken & Very old
50	Cane steel chair	03	N/A	8 Years	3 Years	4 Years	Broken & Very old
51	Godrej visitor chair	01	N/A	10 Years	6 Years	Do-	Unserviceable
52	Lab Table	03	N/A	Do-	Do-	Do-	Unrepairable
53	Broken parts of lab. Tables	02	N/A	Do-	Do-	Do-	Broken & Very old
54	Rat cage Plastic	11	N/A	15 Years	8 Years	6 Years	Broken & Very old
55	Trey	04	N/A	Do-	Do-	Do-	Broken
56	Invertor Microtech 800-EB	01	N/A	10 Years	6 Years	Do-	Unrepairable & Very old

Item no. 34 to 56 of AHA Dept. have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
57	Speaker	04	N/A	Do-	Do-	Do-	
58	Tub	02	N/A	Do-	Do-	Do-	Unserviceable
59	Canon Printer	01	N/A	Do-	Do-	Do-	Unrepairable
60	Gilat Sky star	01	N/A	Do-	Do-	Do-	Unserviceable
61	Gilat sky star 360-E	01	N/A	Do-	Do-	Do-	Unserviceable
62	Intel In Business		N/A	10 Years	6 Years	3 Years	Unserviceable
63	Wipro Printer	01	N/A	Do-	Do-	Do-	Unrepairable & Very old
64	HP Scanner		N/A	Do-	Do-	Do-	Unrepairable
65	Monitor	03	N/A	Do-	Do-	Do-	Unrepairable
66	CPU	07	N/A	Do-	Do-	Do-	Unrepairable & Very old
67	Superiors UPS System	01	N/A	Do-	Do-	Do-	Unserviceable
68	ACER Power		N/A	12 Years	8 Years	Do-	Unrepairable
69	ACE (Telecom)	01	N/A	Do-	Do-	Do-	Unrepairable & Very old
70	Sernokon electronic Voltage Regulator	01	N/A	Do-	Do-	Do-	Unserviceable
71	Ceiling fan	01	N/A	Do-	Do-	Do-	Unrepairable
AGB COMPUTER LAB.							
1	HCL computer with monitor key board mouse	02	Not Available	More Than 10 Years	4 Years	More than 5 Years	Unrepairable & Very old
2	5 KVA UPS	02	N/A	Do-	Do-	Do-	Unserviceable
3	Speaker	02	N/A	More Than 8 Years	3 Years	More than 4 Years	Unrepairable
4	Laser Jet Laser Printer	01	N/A	Do-	4 Years	More than 3 Years	Unserviceable
5	HP with monitor, Key Board & Mouse	03	N/A	Do-	3 Years	More than 4 Years	Unrepairable
6	Panasonic Fax Machine	01	N/A	Do-	Do-	Do-	Unserviceable
OTHER ARTICLE (B)							
1	Wall fan	04	N/A	More Than 8 Years	4 Years	More than 3 Years	Unserviceable

Item no. 57 to 71 of Ahd, Item no. 2 to 6 of Ahd Computer Lab and further, Item no. 1 of Ahd (Other Article) have been physically verified & found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
2	LAN Cable	02	N/A	Do-	3 Years	More than 4 Years	Unrepairable
FURNITURE (C)							
1	Wooden Shoe Rack	01	N/A	More Than 10 Years	3 Years	More than 7 Years	Broken & very old
2	Godrej Chair	01	N/A	More Than 8 Years	Do-	Do-	Broken & Very old
AGB MOLECULAR LAB.							
1	2		3	4	5	6	7
1	Godrej Refrigerator	01	N/A	More than 10 Years	More than 6 Years	More than 3 Years	Unrepairable & Very old
2	Hot air Oven	01	N/A	Do-	More than 5 Years	More than 5 Years	Unrepairable & Very old
3	Split Ac I ton (Voltas) with 4KVA stabilizer	02	N/A	More than 8 Years	More than 3 Years	Do-	Unrepairable & Very old
4	Blue star deep freezer	01	N/A	More than 9 Years	More than 5 Years	More than 4 Years	Unserviceable & Very old
5	Water softener	01	N/A	More than 8 Years	More than 4 Years	Do-	Unrepairable & Very old
6	HP D x 6120 Computer	01	N/A	More than 7 Years	Do-	More than 3 Years	Unserviceable & Very old
7	HP Business inkjet printer	01	N/A	More than 8 Years	Do-	Do-	Unrepairable & Very old
8	Scanner flatted HP 2400	01	N/A	Do-	More than 5 Years	Do-	Unrepairable & Very old
9	Classic UPS 600VA	01	N/A	More than 9 Years	Do-	More than 4 Years	Unserviceable & Very old
10	Systronic make digital pH meter	01	N/A	More than 8 Years	Do-	More than 3 Years	Unserviceable & Very old
11	Microprocessor based pH meter (Systronic make)	01	N/A	More than 7 Years	4	Do-	Unserviceable

Item no. 2(A)&(B) (Other Article), Furniture (Item no 2(A)&(B)) & Item no 2(B) of AGB Molecular Lab have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
12	Online 3KVA VPS	01	N/A	More than 8 Years	Do-	More than 4 Years	Unserviceable & Very old
13	Cease fire	02	N/A	More than 7 Years	More than 3 Years	More than 4 Years	Unserviceable
14	Chemiline Dry Bath Incubator	02	N/A	More than 8 Years	More than 2 Years	More than 6 Years	Unserviceable & very old
15	Autoclave Vertical	01	N/A	More than 9 Years	More than 3 Years	Do-	Unrepairable
16	Shaking Water Bath	01	N/A	More than 8 Years	Do-	More than 5 Years	Unrepairable & Very old
17	Ice-flake Machine	01	N/A	More than 6 Years	More than 2 Years	More than 4 Years	Unrepairable
18	BOD Incubator	01	N/A	Do-	Do-	Do-	Unserviceable
19	Voltage Stabilizer (Primex)	01	N/A	Do-	Do-	Do-	Unrepairable
20	3KVA Servo Stabilizer (Sen & Pandit)	01	N/A	Do-	Do-	Do-	Unrepairable

PATHOLOGY

1	2	3	4	5	6	7	8
1	Godrej revolving chair	06	Not available	15 Years	10 Years	More than 4 Years	Broken & Very old
2	Steel Almira	01	N/A	Do-	3 Years	Do-	Unrepairable
3	Microscope	07	N/A	Do-	Do-	Do-	Unrepairable
4	Microscope compound	05	N/A	Do-	Do-	Do-	Unserviceable
5	Microscope	01	N/A	Do-	Do-	Do-	Unrepairable
6	Microscope	01	N/A	Do-	Do-	Do-	Unrepairable
7	Attachment of Microscope	01	N/A	Do-	Do-	Do-	Unserviceable
8	Microtome Machine	01	N/A	Do-	Do-	Do-	Unrepairable
9	Wooden bench	01	N/A	12 Years	8 Years	More than 3 Years	Broken & very old

Item no. 12 to 20 of AHJ molecular lab and Item no. 1 to 9 of Pathology have been physically verified & found unserviceable.

20.8.18
(B.C. Patel)
Asstt Comptroller, BVC

[Signature]
(R.K. Sinha)
Asstt Prof, LPM

[Signature]
(M.K. Sinha)
Asstt Prof, Anat

[Signature]
(C.M)
Chairman Animal Nutrition

[Signature]
(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
10	Sine Board 4x3x1	01	N/A	15 Years	10 Years	More than 3 Years	
11	Can stand chair	01	N/A	10 Years	5 Years	More than 5 Years	Broken & Very old
12	Hot air oven (Acme Hot Point)	01	N/A	15 Years	11 Years	More than 4 Years	Broken & Very old
13	Wooden Stool	08	N/A	Do-	Do-	More than 3 Years	Unserviceable
14	Advance Bacteriological Incubator	01	N/A	Do-	Do-	Do-	Broken & Very old
15	Microscope	01	N/A	10 Years	6 Years	Do-	Unrepairable
16	Olympus Compound Microscope	04	Not Available	15 Years	10 Years	More than 4 Years	Unrepairable & Very old
17	Kima Microscope	02	N/A	Do-	Do-	More than 3 Years	Unserviceable
18	Phonier High Power Microscope	01	N/A	Do-	9 Years	More than 5 Years	Unserviceable
19	Godrej Prima English Type writer Machine	01	N/A	Do-	8 Years	More than 6 Years	Unrepairable
20	Micro Model 1Kg 5compound Microscope	02	N/A	Do-	10 Years	More than 4 Years	Unserviceable & very old
21	Spoon Microtome Rejar	03	N/A	7 Years	Do-	More than 3 Years	Unserviceable
22	Student Microscope (KPS 23)	04	N/A	Do-	Do-	Do-	Unserviceable
23	Student Microscope	04	N/A	Do-	Do-	Do-	Unrepairable
24	Photo Phone spoil over Head Projector	01	N/A	Do-	Do-	Do-	Unrepairable
25	Monitor Drive UPS	01	N/A	8 Years	4 Years	Do-	Unserviceable
26	E.S.R. stand	01	N/A	7 Years	3 Years	Do-	Unrepairable & Very old
27	Distillation Unit (Condenser quartz 1.5-LT/MR with complete)	01	N/A	Do-	Do-	Do-	Broken
							Unserviceable

Item no. 10 to 27 of Pathology Dept. have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
28	Canon Printer Machine	01	N/A	Do-	Do-	Do-	Unrepairable
29	Revolving chair	01	N/A	10 Years	6 Years	Do-	
30	Revolving stool	03	N/A	Do-	4 Years	More than 5 Years	Broken & very old

BIOCHEMISTRY

1	2	3	4	5	6	7	8
1.	Bunsen burner (19)	14	Not Available	31 years	4 years	4 years	Of no use so discardable
2.	Blow pipe (2)	01	Not Available	31 years	3 years	1 year	Junk & so discard
3.	Cork barer set (1)	01	Not Available	31 years	3 years	1 year	Junk & so discard
4.	Burette clamp (6)	04	Not Available	31 years	3 years	1 year	Junk & so discard
5.	Cork pressure (1)	01	Not Available	31 years	4 years	4 years	Junk & so discard
6.	Brightness screen (1)	01	Not Available	31 years	3 years	1 year	Junk & so discard
7.	Bunsen Burner (10)	06	Not Available	31 years	3 years	1 year	Junk & so discard
8.	Haemometer (1)	01	Not Available	31 years	3 years	1 year	Junk & so discard

Item no. 28 to 30 of pathology dept. and Item no. 1 to 8 of Biochemistry have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samrata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
9.	Electric air Oven 10" x 12" x 12" (1)	01	Not Available	31 years	3 years	1 year	Unrepairable
10.	Lovi bond Comparator (1)	01	Not Available	31 years	4 years	4 years	Unrepairable
11.	Retort stand (8)	08	Not Available	31 years	3 years	1 year	Unrepairable
12.	Retort Ring (8)	06	Not Available	31 years	3 years	1 year	Of no use so discardable
13.	Retort clamp (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
14.	Sand Bath 4" diameter (3)	03	Not Available	31 years	3 years	1 year	Unrepairable
15.	Spectroscope direct vision (1)	01	Not Available	31 years	3 years	1 year	Unrepairable
16.	Stop watch (1)	03	Not Available	31 years	3 years	1 year	Unrepairable
17.	Test tube stand wooden (26)	19	Not Available	31 years	3 years	1 year	Broken
18.	Triangular file (2)		Not Available	31 years	3 years	1 year	of no use so discardable

Item no. 9 to 18 of Biochemistry dept. have been physically verified and found unserviceable.

(B.C. Patil)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Items	Remarks
19.	Tripod stand (28)	13	Not Available	31 years	3 years	1 year	Of no use so discardable
20.	Tongs (13)	08	Not Available	31 years	3 years	1 year	Of no use so discardable
21.	Water bath 6" diameter(18)	04	Not Available	31 years	3 years	1 year	Unrepairable
22.	Pinch cock (20)	05	Not Available	31 years	3 years	1 year	Of no use so discardable
23.	Bromocresol puple disc (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
24.	Phenolphthalein disc pH 6.8 to 8.4 (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
25.	Hb disc(1)	01	Not Available	31 years	3 years	1 year	Unrepairable
26.	Bilirubin in blood disc (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
27.	Thymol blue disc pH 8 to 9 (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
28.	Master lock (1)	02	Not Available	31 years	3 years	1 year	Unrepairable

Item no. 19 to 28 of Bio Chemistry have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
29.	Movable stage for microscope (1)	01	Not Available	31 years	3 years	1 year	Unrepairable
30.	Filter stand for double funnel (1)	01	Not Available	31 years	3 years	1 year	Broken & so discardable
31.	Lock ordinary (5)	05	Not Available	31 years	3 years	1 year	Junk & so discardable
32.	Metallic screen (9)	04	Not Available	31 years	3 years	1 year	Unrepaialbe
33.	Chemical balance (8)	03	Not Available	31 years	3 years	1 year	Of no use so discardable
34.	Physical balance (1)		Not Available	31 years	3 years	1 year	Of no use so discardable
35.	Magnetic stirrer (1)		Not Available	31 years	3 years	1 year	Of no use so discardable
36.	Enameled mug (1)	01	Not Available	31 years	3 years	1 year	Of no use so discaradable
37.	Diamond pencil (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
38.	Thermo flask small (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable

Item no. 29 to 38 of Biochemistry dept. have been physically verified and found unserviceable

(B.C. Patel) 8.18
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
39.	Analytical weight box (1)	01	Not Available	31 years	3 years	1 year	Unrepairable
40.	Berverger balance (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
41.	Charcoal baror set (4)	04	Not Available	31 years	3 years	1 year	Of no use so discardable
42.	Pnematic Trough (12)	N.A	Not Available	31 years	3 years	1 year	Of no use so discardable
43.	Flam guard (12)	03	Not Available	31 years	3 years	1 year	Unrepairable
44.	Physical weight box (1)		Not Available	31 years	3 years	1 year	Unrepairable
45.	Round traugular file (1)	01	Not Available	31 years	3 years	1 year	Of no use so discarable
46.	Fish tell burner (4)	02	Not Available	31 years	3 years	1 year	Of no use so discarable
47.	Distillation water still (1)	01	Not Available	31 years	3 years	1 year	Of no use so discarable
48.	Small lock (1)		Not Available	31 years	3 years	1 year	Unrepairable

Item no. 39 to 48 of Biochemistry dept. have been physically verified and found conserviceable.

20.8.18
 (B.C. Patel)
 Asstt Comptroller, BVC

[Signature]
 (R.K. Sinha)
 Asstt Prof, LPM

[Signature]
 (M.K. Sinha)
 Asstt Prof, Anat

[Signature]
 (C.M.)
 Chairman Animal Nutrition

[Signature]
 (S.Samnata Ray)
 (Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
49.	Gas cylinder ordinary (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
50.	Extension board with wire (1)		Not Available	31 years	3 years	1 year	Of no use so discardable
51.	Hot air oven (1)		Not Available	31 years	3 years	1 year	Of no use so discardable
52.	Triple glass distriuation (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
53.	Pocket Calculator (1)		Not Available	31 years	3 years	1 year	Unrepairable
54.	Griph pH meter (1)	01	Not Available	31 years	3 years	1 year	Unrepairable
55.	Small ordinary Lock (1)		Not Available	31 years	3 years	1 year	Of no use so discardable
56.	Chemometric balance (1)	01	Not Available	30 years	3 years	1 year	Of no use so discardable
57.	Gas liter (Classic) (1)	01	Not Available	31 years	3 years	1 year	Of no use so discardable
58.	Variable volume pipette T-1000 (2)	02	Not Available	15 years	3 years	1 year	Of no use so discardable

Items no. 49 to 58 are broken. dep.H. have seen physically, verified and found unserviceable.

8.18
(B.C. Patel)
Asstt Comptroller, BVC

20/8/18
(R.K. Sinha)
Asstt Prof, LPM

20/8/18
(M.K. Sinha)
Asstt Prof, Anat

20/8/18
(C.M)
Chairman Animal Nutrition

20/8/18
(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
59.	Balance Hl Bam AA (1)		Not Available	14 years	3 years	1 year	Of no use so discardable
60.	Scientific Calculator (1)		Not Available	14 years	3 years	1 year	Unrepairable
61.	Inkjet Printer Hp (1)	01	Not Available	12 years	3 years	1 year	Unserviceable
62.	Weather thermometer (1)		Not Available	9 years	3 years	1 year	Unrepairable

PHYSIOLOGY

1	2	3	4	5	6	7	8
1.	Steel visitor chair	02		13 yrs	10 years	3 years	Broken & Very old
2.	Exide Invaqueen Battery	02	-	12 yrs	6 "	1 "	Unrepairable
3.	Gas Pipe		-	10 yrs	9 "	1 "	Junk & Very old
4.	Remson Hot Plate 1500 with cord	02	-	10 yrs	6 "	3 "	Junk & Very old
5.	Servo stabilizer			10 yrs	2 "	1 "	Unserviceable
6.	Exide invaqueen 500+ Battery	02	-	8 yrs	5 "	3 "	Replace
7.	Water Bottle 250 ml (Tarsons)	10	-	6 yrs	5 "	1 "	Broken Very old
8.	Orpat emergency light	01	-	6 yrs	5 "	2 "	Unrepairable
9.	Animal Cage large Associate	15	-	6 yrs	4 "	1 "	Of no use so discardable
10.	Water Bottle 125 ml	19	-	6 yrs	4 "	2 "	Of no use so discardable
11.	Voltas Brand 1.5 ton split AC floor mounting	01	-	17 yrs	5 "	1 "	Unrepairable
12.	Automatic Voltage stabilizer with TDR facilities for AC	01	-	17 yrs	6 "	4 "	Unrepairable & Very old
13.	Deep freezer -20°C Horizontal Remi make with stabilizer (Venus)	01	-	17 yrs	8 "	6 "	Unrepairable & Very old

(B.C. Patel)

Asstt Comptroller, BVC

(R.K. Singh)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M.)

Chairman Animal Nutrition

(S. Samanta Ray)

(Dean, BVC)

Item no. 59 to 62 of Biochem dept. and Item no. 1 to 13 of Physiology dept. have been physically verified and found unserviceable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
14	Black Kharal	01	-	-	16 years	1 year	Unserviceable
15	Facit hand calculator 250 model C13	01	-	-	17 "	6 "	Unrepairable & Very old
16	Hand lens wide field 3 1/2		-	-	17 "	2 "	Broken & Very old
17	International centrifuge for 50cc tube (electrical)		-	-	10 "	2 "	Scrap
18	Type writer Remington (1219 QK English)		-	-	12 "	2 "	Unserviceable
19	MK-III flame photometer (Nak) in-built filters compressor 122 and digital display unit (125)		-	-	16 "	2 "	Unrepairable
20	Jambo German contact thermometer	01	-	-	16 "	8 "	Unrepairable & Very old
21	Lock click big size	01	-	-	9 "	5 "	Unrepairable
22	Lock click 2 1/2" square	01	-	-	7 "	5 "	Unrepairable
23	Micro jeldahl distillation apparatus	01	-	-	9 "	5 "	Unrepairable & Very old
24	Microscope Olympus	01	-	-	8 "	7 "	Unrepairable & Very old
25	Microscope bestoptic	01	-	-	7 "	8 "	Unrepairable & very old
26	Microscope Spenser 109969	01	-	-	5 "	6 "	Unrepairable & Very old
27	Microscope Spenser 114994	01	-	-	5 "	7 "	Unrepairable & Very old
28	Microscope Olympus	01	-	-	8 "	4 "	Unserviceable
29	Research Microscope (2005) with transformer 4346, 1-Eye pieces 4 objectives	01	-	-	7 "	4 "	Unserviceable
30	Slide box for 100 slides	02	-	-	5 "	4 "	Broken
31	Systronics Electrophoretic apparatus with vertical chamber with power supply unit	01	-	-	9 "	4 "	Unrepairable
32	Systronic spare horizontal chamber for electrophoresis	01	-	-	8 "	5 "	Scrap & junk

Item no. 19 to 32 of Physiology Dept. have been physically verified and found Unserviceable.

(B.C. Patel) Asstt Comptroller, BVC
 (R.K. Sinha) Asstt Prof, LPM
 (M.K. Sinha) Asstt Prof, Anat
 (C.M) Chairman Animal Nutrition
 (S. Samanta Ray) (Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
33	Systronic constant voltage transformer	01	-	-	6 years	3 years	Unserviceable
34	Warburg blood gas monometer	06	-	-	15 "	9 "	Unrepairable & Very old
35	Traveling microscope radium 10 mm vernear	01	-	-	8 "	6 "	Unrepairable & Very old
36	Exide Power Safe Battery 42-12	01	-	8 yrs	5 "	2 "	Unserviceable
37	Double Secretarial table	01	-	-	8 "	5 "	Broken
38	Wooden Almirah for chemical	01	-	-	7 "	5 "	Broken
39	(b) Visitor chair (STC -B)	03	-	8yrs	5 "	2 "	Broken
40	Baumanometer	01	-	-	3 "	2 "	Broken
41	Electro motor gear HP 1/4	01	-	-	9 "	6 "	Unrepairable
42	Hemocytometer	08	-	-	4 "	3 "	Unrepairable & Very old
43	Hemoglobinometer	06	-	-	5 "	4 "	Unrepairable
44	Microscope	05	-	-	7 "	6 "	Unserviceable
45	Microscope A/O	02	-	-	6 "	5 "	Unrepairable & Very old
46	Light Pulley	04	-	-	3 "	3 "	Unserviceable
47	Pulley light C18"	01	-	-	3 "	3 "	Unrepairable
48	Pulleys 4 cane	13	-	-	3 "	3 "	Unrepairable
49	Shafts	04	-	-	3 "	3 "	Unrepairable
50	Simple stand	24	-	-	5 "	4 "	Broken
51	Stand with motion	03	-	-	5 "	4 "	Broken
52	Stand quick motion	03	-	-	5 "	4 "	Junk & so discard
53	Stand for supporting shaft	04	-	-	5 "	4 "	Junk & so discard
54	Dissecting scalped	01	-	-	6 "	4 "	Junk & so discard
55	Indane Gas cylinder	01	-	-	12 "	1 "	Junk & so discard
56	Liquid display calculator	01	-	-	16 "	4 "	Unserviceable
57	Enco 4/8 recording drum	12	-	-	12 "	4 "	Unrepairable
58	Dupious Remond Induction coil with SS twined with full set os fermnend for single and sprated inputs		-	-	12 "	1 "	Unrepairable

Item no. 33 to 58 of Physiology dept. have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
59	Incorp muscle twitch assembly consisting of the following		-	-	12 years	1 years	Of no use so discardable
60	Sherrington sterling recording drum with SS axle with 6" diameter cylinder(a, b, c, d, e, f, g &h)		-		12 "	1 "	Unrepairable
61	Nose pliers	01	-	-	9 "	5 "	Of no use so discardable
62	Flat file 8	01	-	-	9 "	5 "	Of no use so discardable
63	File taper	01	-	-	8 "	5 "	Of no use so discardable
64	Hutcherson spirometer inco make complete set	01	-	-	6 "	2 "	Of no use so discardable
65	Diamond B.P. instrument dial type complete set	03	-	-	5 "	1 "	Of no use so discardable
66	Bekey stethoscope superior quality	02	-	-	4 "	1 "	Of no use so discardable
67	Water Pureit fier pure	02	-	13 yrs	2 "	2 "	Of no use so discardable
68	Glucosmila (Blood sugar Instrument)	01	-	10 yrs	2 "	1 "	Of no use so discardable
69	Link Lock	02	-	8 yrs	2 "	1 "	Unrepairable
70	VC9 for microscope (Wooden almirah with glass pan)	01	-	-	2 "	1 "	Broken
71	Biological bench (VC1, VC2)	02	-	-	2 "	1 "	Broken
72	Biological working bench (B3, B4, B5, B6)	04	-	-	2 "	1 "	Broken
73	Stool	01	-	-	2 "	1 "	Broken
74	Table 1/2 secretariat	01	-	-	2 "	5 "	Broken & Very old
75	Table with two drawer VC7	01	-	-	2 "	5 "	Broken & Very old
76	Table with cupboardary	01	-	-	2 "	5 "	Broken & Very old
77	Wall rack VC2	01	-	-	5 "	2 "	Unrepairable
78	Godrej scholar class room Desk cum Bench for lecture theater	01	-	-	4 "	2 "	Broken
VPH							
1	2	3	4	5	6	7	8
1.							

(B.C. Patel) 8/18
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha) 20/10/18
Asstt Prof, Anat

(C.M.) 20/10/18
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item No - 59 to 78 from Physiology & Item NO 1 from VPH have been physically verified & found unrepairable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
2.	Cryoscope	1	Not available	32 Year	Not available	32 Year	Unrepairable & Very old
3.	Centrifuge Electrical (4 tubes)	1	Not available	32 Year	30 Year	02 Year	Unrepairable
4.	Chair Steel revolving	1	Not available	32	15 Year	02 Year	Unrepairable
5.	E.I Tray	1	Not available	32	27	05	Of no use so discardable
6.	E.I Tray 10x12	1	Not available	32	27	05	Of no use so discardable
7.	E.I Tray 18x12	2	Not available	32	27	05	Of no use so discardable
8.	E.I Basin	3	Not available	32	01	31	Of no use so discardable
9.	Gerber Butter Moisture tester	1	Not available	32	-----	05	Of no use so discardable
10	Gerber Centrifuge hand operated	2	Not available	32	-----	05	Of no use so discardable
11	Gerber Centrifuge Machine	1	Not available	32	-----	05	Of no use so discardable
12	Gas Cylinder	1	Not available	32	-----	09	Junk & scrap
13	Autoclave	1	Not available	32	9	23	Of no use so discardable
14	Instrument cabinet	1	Not available	32	18	14	Unrepairable & Very old
15	Water bath Circular	1	Not available	32	-----	05	Unrepairable
16	Water bath Serological	1	Not available	32	-----	31	Unrepairable
17	E.I Funnel	1	Not available	10	-----	05	Of no use so discardable

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item no- 2 to 17 from VPH have been physically verified & found unserviceable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
18	Refrigerator, Godrej, Small	1	Not available	32 year	16 year	05 year	Unrepairable & Very old
19	Hot water bath for butyrometer	1	Not available	32	----- --	05	Unserviceable
20	Voltage Stabilizer	1	Not available	32	03	02	Unrepairable
21	Vacuum Pump	1	Not available	32	08	02	Unrepairable
22	Spectro Photometer	1	Not available	32	10	02	Unrepairable
23	Ph meter With Glass electrode	1	Not available	31	10	06	Unrepairable & very old
24	Type Writer	1	Not available	31	13	02	Unrepairable
25	Computer & Accessories	1	Not available	13	01	04	Unserviceable
26	Stove with two burner	1	Not available	32	-----	02	Junk & so discard
27	Hot Air Sterilizer	01	Not available	31	01	01	Unrepairable
28	Vertex (Hindustan Scientific)	1	Not available	Not available	Not available	Not available	Of no use so discardable

ANIMAL NUTRITION

1	2	3	4	5	6	7	8
01	Analytical Balance	03	N. A	5 years	33 years Up to 1998	19 years	Of no use so discardable
02	Auto miser	01	N. A	1 years	20 years Up to 1987	31 years	Of no use so discardable

(B.C. Patel) Asstt Comptroller, BVC
 (R.K. Sinha) Asstt Prof, LPM
 (M.K. Sinha) Asstt Prof, Anat
 (C.M) Chairman Animal Nutrition
 (S.Samnata Ray) (Dean, BVC)

Item NO-18 to 28 BPH & Item NO-01 to 02, have been physically verified & found unrepairable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
03	Boss head with clamps	02	N. A	53 years	30 years Up to 1995	23 years	Unrepairable & Very old
04	Scanner HP-2300	01	4970/-	12 years	03 years Up to 2009	09 years	Unrepairable & very old
05	Web Camera Logitech	01	3200/-	18 years	03 years Up to 2003	15 years	Unrepairable & Very old
06	Mouse Optical Scroll	01	N. A	10 years	04 years Up to 2012	06 years	Unrepairable & Very old
07	Head Phone	01	N. A	10 years	02 years Up to 2011	08 years	Unrepairable & Very old
08	Computer Set CPU No. 11NT-634014P, HPDX-2280TFT, LCD	01	N. A	10 years	02 years Up to 2011	08 years	Unrepairable & very old
09	Moniter-15" No. 2CNC 6270 FGL	01	N. A	10 years	02 up to 2010 years	08years	Unrepairable & Very old
10	UPS Elent No. 17814439	01	N. A	10 years	03 years up to 2011	07 years	Unrepairable & Very old
11	Battery No. 297005, 29953 Exide	02	N. A	10 years	06 years up to 2011	04 years	Unserviceable
12	Distillation Set glass (Borosil)	01	N. A	48 years	15 years up to 1985	33 years	Broken & Very old
13	E.I. Tray (18"x12")	01	N. A	54 years	23 years up to 1987	31 years	Of no use so discardable

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Singh)
Asstt Prof, LPM
Animal Nutrition

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No. - 3 to 13, Articles are unserviceable have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
14	E.I. Tray (12"x10")	01	N. A	54 years	22 years up to 1986	30 years	Of no use so discardable
15	E.I. Tray (14"x12")	01	N. A	54 years	22 years up to 1986	30 years	Of no use so discardable
16	Hot Air Oven Electric	01	N. A	53 years	20 years up to 1985	33 years	Unrepairable & Very old
17	Infrared Moisture Balance	01	N. A	52 years	04 years up to 1970	48 years	Of no use so discardable
18	Lock Click Type	09	N. A	53 years	17 years up to 1982	36 years	Unrepairable & Very old
19	Mortar and Pestle Iron	01	N. A	Not available	N. A	Not available	Unrepairable & Very old
20	Measuring Tape	01	N. A	Not available	N. A	Not available	Unrepairable & Very old
21	Micro-scope No. 118789	01	2075	52 years	14 years up to 1980	38 years	Unrepairable & Very old
22	Pedestal Fan	01	N. A	10 years	03 years up to 2011	07 years	Unrepairable & very old
23	Pinch Cock	01	N. A	53 years	19 years up to 1984	34 years	Unrepairable & Very old
24	Pipette Stand for Six Wooden	05	N. A	53 years	15 years up to 1980	38 years	Broken & Very old
25	PH Meter digital Model 33554 Stronic	01	7500/-	48 years	12 years up to 1982	36 years	Unrepairable & Very old
26	Stove Electronic (Heater)	01	N. A	Not available	N. A	Not available	Unrepairable
27	Soxleth Extraction Water Wash	04	N. A	Not available	N. A	Not available	Junk & so discard
28	Tri Pad Stand	06	N. A	53 years	21 years up to 1986	32 years	Broken & Very old

(B.C. Pater) 8.18
Asstt Comptroller, BVC

(R.K. Sinha) 8.18
Asstt Prof, LPM

(M.K. Sinha) 8.18
Asstt Prof, Anat

(C.M) 25/8/18
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item No- 14 to 28 Animal Nutrition have been physically verified & found unsevisable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
29	Test tube Stand	01	N. A	53 years	16 years up to 1981	37 years	Junk & so discard
30	Test tube Holder	01	N. A	53 years	23 years up to 1988	30 years	Junk & so discard
31	Tongs	05	N. A	53 years	21 years up to 1986	32 years	Of no use so discardable
32	Triplet Distillation Set (All Glass)	01	8000/-	09 years	03 years up to 2012	06 years	Of no use so discardable
33	Type Writer, English Godrej	01	8000/-	10 years	03 years up to 2011	07 years	Unrepairable & Very old
34	Vac-ump Pump	01	8000/-	10 years	04 years up to 2012	06 years	Unrepairable & Very old
35	Vac-ump Cleaner	01	1300/-	10 years	03 years up to 2011	07 years	Unrepairable & Very old
36	Retort Clamp Brass Moulded Per-fit Cat 1058	06	N. A	52 years	21 years up to 1987	31 years	Of no use so discardable
37	Lock Navtal	01	N. A	52 years	18 years up to 1983	35 years	Unrepairable & Very old
38	Lock Brass	01	N. A	54 years	20 years up to 1984	34 years	Unrepairable & Very old
39	Steel spatula	01	N. A	53 years	24 years up to 1989	29 years	Unrepairable & very old
40	Paper Chromate graph	01	N. A	52 years	15 years up to 1980	38 years	Unrepairable & Very old
Furniture							
01	Chair Armed (Cane Seated)	03	N. A	52 years	32 years Up to 1998	20 years	Broken & Very old
02	Chair Armed (Cane Seated) with high back	01	N. A	41 years	10 years Up to 1987	31 years	Broken & very old

(B.C. Patel) 8.18
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha) 20/2/18
Asstt Prof, Anat

(C.M) 20/2/18
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item No 29 to 40 Animal Nutrition & Item No 01 to 02 Furniture have been physically verified & found

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
03	Almira Biological	02	N. A	53 years	30 years Up to 1995	23 years	Unrepairable & Very old
04	What not wooden	01	4970/-	52 years	43 years Up to 2009	08 years	Broken & Very old
05	Wooden Table Fitted Racks and sinks	01	3200/-	58 years	50 years Up to 2000	06 years	Broken & very old
06	Table computer	01	N. A	10 years	06 years Up to 2012	08 years	Broken & Very old
07	Godrej Chair	01	N. A	10 years	02 years Up to 2010	07 years	Unrepairable
08	Revolving Chair	01	N. A	10 years	03 years Up 2010	07 years	Broken & Very old
09	Moniter-15" No. 2CNC 6270 FGL	01	N. A	10 years	03 years up to 2010 years	07 years	Unrepairable
10	Table wooden secretariat (6 $\frac{1}{2}$ x 3' / 2' X 2 $\frac{1}{2}$)	01	N. A	10 years	03 years up to 2011	07 years	Broken & unrepairable

ILFC

1	2	3	4	5	6	7	
1	HMT Tractor Model 3511 with accessories (old)	01	Purchase in 1986	Data not available	Data not available	Unrepairable	
2	Chaff cutter machine Himco with 10 HP motor and parts used in repair	01	30030.00	11 years	Data not available	Data not available	Unrepairable

20.8.18
(B.C. Patel)
Asstt Comptroller, BVC

2/8
(R.K. Sinha)
Asstt Prof, LPM

20/8/18
(M.K. Sinha)
Asstt Prof, Anat

20/8/18
(C.M.)
Chairman Animal Nutrition

20/8/18
(S.Samnata Ray)
(Dean, BVC)

Item No 03 to 10 Animal Nutrition (furniture) & Item No 1-2 ILFC have been physically verified & found inseparable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
3	Ceiling fans	13	17810.00	10 years	Data not available	Data not available	Unrepairable
4	Starter motor Crompton ILCPI Sr. No. HEB-14796	01	2193.00	10 years	Data not available	Data not available	Unrepairable
5	Cooler, Desert classic power pack	06	24000.00	9 years	Data not available	Data not available	Unserviceable
6	Godrej Table -78	02	11920.00	11 years	Data not available	Data not available	Broken & Very old
7	Godrej Chair Ch-7	04	6800.00	11 years	Data not available	Data not available	Broken & very old
8	Camera Port NM Stick 2GB	01	1.00	9 years	Data not available	Data not available	Unrepairable
9	Generator Kiroloskar Model DM-14	01	42750.00	9 years	Data not available	Data not available	Unrepairable
10	Alternator Kirloskar 10 KVA	01	42250.00	9 years	Data not available	Data not available	Unrepairable
11	Stabliser CVT, 2 KVA	01	12150.00	9 years	Data not available	Data not available	Unrepairable
12	Tractor Trailor with Tyre	01	96720.00	10 years	Data not available	Data not available	Unserviceable
13	Earth Leveller (iron) log		Data not available	Data not available	Data not available	Data not available	Unserviceable
14	Weighing Machine (1000 kgs)		56721.00	11 years	Data not available	Data not available	Unrepairable
15	Cultivator 9 type		30680.00	10 years	Data not available	Data not available	Unrepairable
16	Chair for Livestock		3000.00	10 years	Data not available	Data not available	Broken
17	Link Lock		2760.00	10 years	Data not available	Data not available	Unrepairable
18	Computer with Accessories		37501.00	10 years	Data not available	Data not available	Unserviceable

(B.C. Patel) 8.18
Asstt Comptroller, BVC

(R.K Sinha)
Asstt Prof, EPM

(M.K. Sinha) 25/8/18
Asstt Prof, Anat

(C.M) 25/8/18
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item 03 to 18 life have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
19	Photo state machine with Printer		57040.00	9 years	Data not available	Data not available	Unrepairable
20	Steelex steel chair (cushmed)		5985.00	5 years	Data not available	Data not available	Unrepairable
21	Balti		1680.00	10 years	Data not available	Data not available	Broken

SURGERY & RADIOLOGY

1	2		3	4	5	6	7
1.	Amputation Saw	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Of No use so discardable
2.	Almirah Glass (Godrej)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Broken
3.	Artery Forceps Straight 6"	05	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of No use so discardable
4.	Angle Scissors 6"	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of No use so discardable
5.	Artery Forceps 6"	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Of No use so discardable
6.	Artery Forceps curved 6.5"	04	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Of No use so discardable
7.	Artery Forceps	05	Not Available	Not mention in Stock Register	Not mention in Stock Register	4 years	Of No use so discardable
8.	Artery Forceps curved range	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Of no use so discardable
9.	Artery Forceps Straight	30	Not Available	Not mention in Stock Register	Not mention in Stock Register	4 years	Of no use so discardable

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item No - 19 to 21 from LFC & Item No 01 to 9 from Sur. & Radiology have been physically verified for unrepairable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
10	Almirah Godrej	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Broken
11	Almirah with Glass (wooden)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Broken
12	Autoclav size 12"x12"	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
13	Autoclav (Horizontal) 450x600m	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardabel
14							
15	Bajaj Cook Top	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
16	Bone Currett	07	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Unrepairable
17	Basin Pot (kidney shaped)	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Unserviceable
18	Bholtas & Neats	04	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Unrepairable
19	Book Case (wooden)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Broken
20	Blower	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
21	Chair conodinatorly	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Unrepairable
22	Camel detortion rod	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unrepairable

(B.C. Patel)

Asstt Comptroller, BVC

(R.K. Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M)

Chairman Animal Nutrition

(S.Samnata Ray)

(Dean, BVC)

27

Item No- 16 to 22 from Surg. & Radiology have been physically verified & found unusable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
23	Carmel Forcep	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Of no use so discardable
24	Computer Table	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Broken
25	Clowshur For Cattal	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
26	Dukes Physiology Book 5 th Edition	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
27	Drum stand to three stand	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Broken
28	Dehorning Electric machine	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
29	Electric Hydraulic O.T. Table	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
30	Excid Inverter UPS	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
31	Ferguson Angilo Strip Forceps	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Of no use so discardable
32	Feeds and Feeding by Morison Book	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
33	Generator Set (5 KVA)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Of no use so discardable
34	Hook Tenaculam	03	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Of no use so discardable
35	Hydrolic Animal O.T. Table	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Broken

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Items No 23 to 35 from Sure Radiology have been physically verified & found unusable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
36	Hot Air Oven	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unrepairable
37	Instrument Table without glass	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Broken
38	Illustrated medical dictionary (Dorland)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unrepairable
39	Instrument Cabinet Glass/Steel	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unrepairable
40	Instrument Cabinet	03	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unserviceable
41	I.V. stand	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Broken
42	Set Lithotomy	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unserviceable
43	Leprotomy Retractor Frame	04	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Broken
44	Lock	03	Not Available	Not mention in Stock Register	Not mention in Stock Register	6 years	Unrepairable & very old
45	Milk Syphan	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	6 years	Unrepairable & very old
46	Map Stand (wooden)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Broken & Very old
47	Mosquito Forcep	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Of no use so discardable
48	Military preventive medicine book (3 rd Edition Dunham)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use of discardable

8/18
(B.C. Patel)
Asstt Comptroller, BVC

20/8/18
(R.K. Sinha)
Asstt Prof, LPM

20/8/18
(M.K. Sinha)
Asstt Prof, Anat

20/8/18
(C.M)
Chairman Animal Nutrition

20/8/18
(S.Samnata Ray)
(Dean, BVC)

Item NO - 36 to 48 from Sur Radiology have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
49	Operating Lamp Flexible	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
50	Orthopadic metallic mallet	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unrepairable
51	Obstetrical Slavs 7"	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Of no use so discardable
52	Oxygen Apparatus (Gas Cylinder)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unrepairable
53	Ophthalmoscope	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unrepairable
54	Operation Table	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Broken
55	Periostal Clevotor	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Of no use so discardable
56	Pocket Volselum	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Of no use so discardable
57	Rowling Scissors (Tail Scissor)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
58	Sand crack forcep	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
59	Stationary Case VC- 7	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Of no use so discardable
60	Spong Forceps	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Of no use so discardable
61	Smok overiotomy(huk)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Of no use so discardable

(B.C. Patel)
22.8.18

Asstt Comptroller, BVC

(R.K Sinha)
22/8/18

Asstt Prof, LPM

(M.K. Sinha)
22/8/18

Asstt Prof, Anat

(C.M)
20/8/18

Chairman Animal Nutrition

(S.Samnata Ray)

(Dean, BVC)

Item No - 49 to 61 from Sur. Radiology have been physically verified & found unserviceable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
62	Shadowless Lamp	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
63	Special pathology & domestic animal book, Vol. I, II, III	03	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Of no use so discardable
64	Steel Rack for keeping	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unserviceable
65	Tail Scissor straight large	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
66	Thrass Thraigh Pin	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
67	L. G. split AC for stabilizer	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
68	Usha Fan	03	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
69	Verner's Holreso	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
70	Vet. Pharmacology Material Medicastherp book (5 th Edition MILKS)	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
71	Valk men's double spoon	03	Not Available	Not mention in Stock Register	Not mention in Stock Register	5 years	Unrepairable & Very old
72	Weighing machine	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
73	What Rack VC-8	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	3 years	Unrepairable
74	Aqua Guard water cooler	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	4 years	Unserviceable

(B.C. Patel)

Asstt Comptroller, BVC

(R.K. Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M)

Chairman Animal Nutrition

(S.Samanta Ray)

(Dean, BVC)

Item NO 62 to 74 from Sur-Pathology have been physically verified & found unrepairable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
75	Oxygen gas cylinder	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Junk & so discard
76	Wire cutter	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Broken
77	Gas cylinder (oxygen)	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Junk & so discard
78	Over Head Projector	01	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
79	Nad (Animal Bidor)	03	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Of no use so discardable
80	Lock	05	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
81	Digital thermometer	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Unrepairable
82	Office Table (wooden)- 1 large & 1 small	02	Not Available	Not mention in Stock Register	Not mention in Stock Register	2 years	Broken

PARASITOLOGY

1	2	3	4	5	6	7	8
1	Working Lab Banch	02	Not available	38 years	20 years	18 years	Broken & Very old
2	Automatic slide staining machine		Not available	38 years	18 years	20 years	Unrepairable & Very old
3	Bajaj Bahar cooling fan		Not available	24 years	16 years	08 years	Unrepairable & Very old
4	Type machine	01	Not available	27 years	04 years	23 years	Unrepairable & Very old
5	Godrej Refrigerator	01	Not available	19 years	11 years	08 years	Unserviceable & Very old

(B.C. Patel) 22/8/18

Asstt Comptroller, BVC

(R.K. Sinha) 22/8/18

Asstt Prof, LPM

(M.K. Sinha) 22/8/18

Asstt Prof, Anat

(C.M) 22/8/18

Chairman Animal Nutrition

(S.Samnata Ray)

(Dean, BVC)

Item No. 75 to 82 from BVC Parasitology & 01 to 05 from Parasitology have been physically verified & found unserviceable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
6	Photo colorimeter	01	Not available	27 years	19 years	08 years	Unrepairable & Very old
7	Klenazide colorimeter	01	Not available	27 years	08 years	19 years	Unrepairable & Very old
8	Serological water bath	01	Not available	26 years	18 years	08 years	Unrepairable & Very old
9	Mise case	03	Not available	13 years	09 years	04 years	Of no use so discardable
10	Hot plate	15	Not available	11 years	04 years	07 years	Of no use so discardable
11	Electric Kettle		Not available	12 years	04 years	08 years	Unrepairable & Very old
12	Animal Case	03	Not available	12 years	04 years	08 years	Unrepairabel & Very old

HOSTEL -1

1	2	3	4	5	6	7	8
1	Plastic Tank 1000 Ltr. (2 pcs)	02	Not available	Not available	7 th years	3 years	Of no use so discardable
2	Plastic chair five sitter (3 pcs)	03	Not available	Not available	7 th years	4 years	Broken
3	Paper table stand	01	Not available	Not available	3 years	3 years	Broken
4	Chair wooden (28 pcs)	28	3-9-1990	Page No. 155	20 years	8 years	Broken & Very old
5	Reading Table wooden (17 pcs)	17	28.08.1995	Page No. 175	20 years	3 years	Unrepairable
6	Aqua Monitor water cooler	01	26.06.2014 Rs. 22000.00	Page No. 232	3 years	1 year	Unrepairable
7	Voltas water cooler	01	24.04.2009 Rs. 24532.00	Page No. 221	6 years	3 year	Unserviceable

HOSTEL -2


1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---


(B.C. Patel) *20.8.18*
 Asstt Comptroller, BVC
 (R.K. Sinha)
 Asstt Prof, LPM
 (M.K. Sinha)
 Asstt Prof, Anat
 (C.M.)
 Chairman Animal Nutrition
 (S.Samanta Ray)
 (Dean, BVC)


Item No 06 to 12 from Parasitology & 01 to 7 from Hostel -1 have been physically verified & found unserviceable


Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
1	Plastic Tank 1000 Ltr. (2 pcs)	02	Not available	Not available	Not available	3 years	Of no use so discardable
2	Table Tennis Wooden (2 pcs)	02	Not available	Not available	Not available	3 years	Unrepairable
3	Iran Chair Three Sitter (2 pcs)	02	03.07.2009	Page No. 227	7 years	2 years	Junk & so discardable
4	Old T.V. Sumsung (1 pcs)	01	24.09.2003 Rs. 12990.00	Page No. 211	8 years	4 years	Unserviceable
5	Aquaguard (2pcs)	02	26.07.2006 Rs. 7090.00	Page No. 204	6 years	4 years	Unserviceable
6	Paper Table stand	01	Not available	Not available	3 years	3 years	Broken
7	Reading Table (3 pcs)	36	28.08.1995	Page No. 175	10 years	3 years	Of no use so discardable
8	Chair Wooden (26 pcs)	26	03.09.1990	Page No. 155	20 years	8 years	Broken & Very old
9	Voltas Hot & Cool	01	24.04.2009 Rs. 24532.00	Page No. 221	7 years	2 years	Unserviceable
HOSTEL -3							
1	2		3	4	5	6	7


Item No - 1 to 9 from Hostel -2 have been physically verified & found unserviceable


(B.C. Patel)
Asstt Comptroller, BVC


(R.K. Sinha)
Asstt Prof, LPM


(M.K. Sinha)
Asstt Prof, Anat


(C.M.)
Chairman Animal Nutrition


(S. Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
1	Plastic Tank 1000 Ltr. (2 pcs)	02	Not available	Not available	Not available	3 years	Of no use so discardable
2	Iran Chair Three Sitter (1 pcs)	02	03.07.2009	Page No. 227	5 years	3 years	Junk & so discardable
3	Table Tennis Board (1 pcs)	01	Not available	Not available	Not available	3 years	Broken
4	TV show case wooden (1 pcs)	01	13.05.2009 Rs. 2800.00	Page No. 222	5 years	3 years	Broken
5	Old T.V. Sumsung (1 pcs)	01	24.09.2003 Rs. 12990.00	Page No. 211	7 years	4 years	Unserviceable
6	Chair Wooden (31 pcs)	31	03.09.1990	Page No. 155	13 years	5 years	Broken & Very old
7	Reading Table Small size (19 pcs)	19	28.08.1995	Page No. 175	10 years	3 years	Unrepairable
8	Wooden Table big size (2 pcs)	02	Not available	Not available	Not available	Not available	Broekn & Very old
9	Voltas Hot & Cool (1 pcs)	01	24.04.2009 Rs. 24532.00	Page No. 221	6 years	4 years	Unserviceable
10	Old Model five sitter chair (1 pcs)	01	Not available	Not available	6 years	4 years	Broken & so discardable
11	Chair Wooden (17 pcs)	17	03.07.2009	Page No. 155	23 years	5 years	Broken & Very old

Item No-1 to 11 from Hostel-3 have been physically verified & found unserviceable

BT
20.8.18
(B.C. Patel)
Asstt Comptroller, BVC

R.K. Sinha
(R.K. Sinha)
Asstt Prof, LPM

M.K. Sinha
20/8/18
(M.K. Sinha)
Asstt Prof, Anat

C.M.
20/8/18
(C.M.)
Chairman Animal Nutrition

S. Samnata Ray
(S.Samnata Ray)
(Dean, BVC)

HOSTEL -4 (GIRLS)

1	2	3	4	5	6	7	
Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
1	Reading Table wooden Small size (19 pcs)	22	28.08.1975	Page No. 175	20 years	3 years	Broken
2	Chair Wooden (20 pcs)	20	03.09.1990	Page No. 155	23 years	5 years	Broken & Very old
3	Paper table wooden stand (1 pcs)	01	Not available	Not available	Not available	Not available	Broken & Very old
4	Voltas Tushar Water cooler (1 pcs)	01	24.04.2009 Rs. 24532.00	Page No. 221	6 years	3 years	Unrepairable
5	Plastic chair three seater (2 pcs)	02	Not available	Not available	7 years	3 years	Broken
6	Voltas Aqua monitor (1 pcs)	01	26.06.2014 Rs. 22000.00	Page No. 232	3 years	1 year	Unrepairable
7	Old T.V. Sumsung (1 pcs)	01	24.09.2003 Rs. 12990.00	Page No. 211	7 years	4 years	Unserviceable
8	Dining Table (1 pcs)	01	Not available	Not available	6 years	3 years	Broken
9	Plastic chair five seater (2 pcs)	02	Not available	Not available	6 years	3 years	Broken
LPT							
1	2	3	4	5	6	7	
1	York bone and meat cutting machine	01	Not available	More Than 10 Years	More Than 5 Years	More Than 4 Years	Unserviceable
2	York PH meter	01	N/A	Do-	Do-	Do-	Unrepairable
3	Refrigerator 305 It.	01	13801	1993	Do-	Do-	Unrepairable

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
LPT Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item No - 01 to 9 from Hostel 4 (Girls) have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
4	Infrared balance	01	N/A	More than 10 Years	Do-	Do-	Of no use so discardable
5	Analytical balance	01	N/A	Do-	Do-	Do-	Of no use so discardable
6	Mini Magnetic stirrer	01	N/A	Do-	Do-	Do-	Of no use so discardable
7	Automatic pipette washer	01	N/A	Do-	Do-	Do-	Of no use so discardable
8	Centrifuge machine model-R.Sc with 5x5 ml angle head	01	N/A	Do-	Do-	Do-	Of no use so discardable
9	Sicospec 100 Spectrophotometer	01	N/A	Do-	Do-	Do-	Of no use so discardable
10	Kima microscope N-122439	01	N/A	Do-	Do-	Do-	Unrepairable
11	Microscope high power	05	N/A	Do-	Do-	Do-	Of no use so discardable
12	"Lynx" chemometric air damping balance	01	N/A	Do-	Do-	Do-	Of no use so discardable
13	Grip PH Motor	01	N/A	Do-	Do-	Do-	Unrepairable
14	Bacteriological Incubator	01	N/A	Do-	Do-	Do-	Of no use of discardable
15	Cream separator	01	N/A	Do-	Do-	Do-	Of no use of discardable
16	Compound Microscope	01	N/A	Do-	Do-	Do-	Unserviceable
17	Milk fat testing machine with tube set	01	N/A	Do-	Do-	Do-	Of no use of discardable
18	Overhead project	01	N/A	Do-	Do-	Do-	Unrepairable
19	Student microscope (KFS-33)	02	N/A	Do-	Do-	Do-	Unrepairable
20	Tissue Homogenizer	01	N/A	Do-	Do-	Do-	Of no use of discardable
21	R VS/56 Sen & Pundit Automatic Voltage Stabilizer	01	N/A	Do-	Do-	Do-	Unrepairable
22	Air filter for pneumatic grip of Introns	01	N/A	Do-	Do-	Do-	Unrepairable
23	Photo phonic film automatic slider projector	01	N/A	Do-	Do-	Do-	Of no use of discardable
24	Screen on tripped stand	01	N/A	Do-	Do-	Do-	Of no use of discardable
25	RVC/106 1KVA Automatic slide Voltage Stabilizer	02	N/A	Do-	Do-	Do-	Unrepairable
26	5 HP Bajaj diesel Engine	01	16500	1991	Do-	Do-	Unrepairable

(B.C. Patel)

Asstt Comptroller, BVC

(R.K. Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M.)

Chairman Animal Nutrition

(S.Samnata Ray)

(Dean, BVC)

Item No-4-26 from LPT have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
27	Chest type deep freezer 425 lt capacity	01	26444	2005	Do-	Do-	Unserviceable
28	Sausage filler hand operated	01	4680	1991	Do-	Do-	Unserviceable
29	PSV/520(Sen & Pundit Precision controlled voltage stab. 5KVA)	01	11882	1993	Do-	Do-	Unrepairable
30	Godrej electronic typewriter machine	01	32678	1993	Do-	Do-	Unrepairable
31	Rotator microtome	01	4650	1993	Do-	Do-	Of no use so discardable
32	Solet extraction apparatus (i)6 heating unit (ii) 3 heating unit	01	N/A	More than 10 Years	Do-	Do-	Of no use os discardable
33	Vacuum pump with 100 lt. Capacity	01	6275	1993	Do-	Do-	Of no use so discardabel
34	Disc and slab electrophoresis	01	N/A	More than 10 Years	Do-	Do-	Of no use so discardable
35	Vacuum rotator Evaporator	01	8374	1993	Do-	Do-	Unrepairable
36	Automatic voltage stabilizer RVS 406 (4 KVA)	01	2080	1991	Do-	Do-	Unrepairable
37	Thin layer chromatography set	01	2833	1993	Do-	Do-	Of no use so discardable
38	Automatic microtome knife sharpener	01	5690	1993	Do-	Do-	Broken
39	Colony counter	01	1036	1993	Do-	Do-	Of no use so discardable
40	Voltas crystals (air conditioner) 1.5 tan	01	30359	1993	Do-	Do-	Unrepairable
41	Water bath indictor	01	7987	1994	Do-	Do-	Unrepairable
42	Battery inverter	01	3882	1994	Do-	Do-	Unserviceable
43	Bajaj supper mix mixer	01		More than 10 Years	Do-	Do-	Unrepairable
44	Euro clean (one set)	01	4990	1994	Do-	Do-	Of no use so discardable
45	PSV/310 Sen Pundit precision servo stabilizer 3 KVA	01	3613	1993	Do-	Do-	Of no use so discardable
46	Introns model 4465 table model	01	N/A	More than 10 Years	Do-	Do-	Of no use so discardable

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item No - 27 to 46 from - LPT have been physically verified & found unrepairable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
47	MECCO brand air compressor	01	N/A	More than 10 Years	Do-	Do-	Unrepairable
48	Canning line (one set)	01	221100	1995	Do-	Do-	Of no use so discardable
49	IBM-III, Computer with laser Printer set	01	79800	2001	Do-	Do-	Unrepairable
50	Electronic FIBRA Plus automatic six place fibre extraction system	01	N/A	More than 10 Years	Do-	Do-	Of no use so discardable
51	Electronic automatic four place defeating solvent system	01	N/A	More than 10 Years	Do-	Do-	Of no use so discardable
52	Muffle furnace	01	28000	2002	Do-	Do-	Unrepairable
53	Stabilizer 1 KVA		2195	2006	Do-	Do-	Unrepairable
54	Bomb colorimeter		N/A	More than 10 Years	Do-	Do-	Of no use so discardable
55	Gestate duplicating machine model 145c	01	N/A	Do-	Do-	Do-	Unserviceable
56	Skid hooks		N/A	Do-	Do-	Do-	Of no use so discardable
57	Celling fan	03	N/A	Do-	Do-	Do-	Of no use so discardable
58	Pen stand with two holder	01	58.5	1986	2 Yrs.	Do-	Broken
59	Godrej lock (leaver)	01	N/A	More than 10 Years	More Than 5 Years	Do-	Broken
60	Stapler	02	N/A	Do-	Do-	Do-	Unrepairable
61	Retort stand	16	N/A	Do-	Do-	Do-	Broken
62	Tripod	18	N/A	Do-	Do-	Do-	Broken
63	Wooden test tube stand	02	N/A	Do-	Do-	Do-	Broken
64	Crushable tongue	02	N/A	Do-	Do-	Do-	Broken
65	Laboratory burner	02	92.72	1986	5 Yrs.	Do-	Of no use so discardable
66	Calculator	02	N/A	More than 10 Years	More Than 5 Years	Do-	Unrepairable
67	Stove	01	120	1987	Do-	Do-	Of no use so discardable

8.18
(B.C. Patel)
Asstt Comptroller, BVC

27/8/18
(R.K. Sinha)
Asstt Prof, LPM

27/8/18
(M.K. Sinha)
Asstt Prof, Anat

20/8/18
(C.M)
Chairman Animal Nutrition

1
(S.Samnata Ray)
(Dean, BVC)

Item No - 47 to 67 from LPT have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
68	G. I. Tubes	03	145	1987	Do-	Do-	Of no use so discardable
69	Extension boards	02	130	1988	Do-	Do-	Of no use so discardable
70	Steel plate (full size)	03	N/A	More than 10 Years	Do-	Do-	Of no use so discardable
71	Steel plate (medium & small size)	09	N/A	Do-	Do-	Do-	Of no use so discardable
72	Steel spoon (medium)	06	N/A	Do-	Do-	Do-	Broken
73	Steel Spoon (small)	06	N/A	Do-	Do-	Do-	Broken
74	Calchi	01	N/A	Do-	Do-	Do-	Of no use so discardable
75	Tartan	01	N/A	Do-	Do-	Do-	Of no use so discardable
76	Sus pen	01	N/A	Do-	Do-	Do-	Of no use so discardable
77	Butcher knife with Steel handles	01	N/A	Do-	Do-	Do-	Broken
78	Screw gauze		N/A	Do-	Do-	Do-	Of no use so discardable
79	Sphero meter		N/A	Do-	Do-	Do-	Of no use so discardable
80	Slide calliper	01	N/A	Do-	Do-	Do-	Broken
81	Lock small	08	N/A	Do-	Do-	Do-	Broken
82	Navtal lock small (5 lever)	01	N/A	Do-	Do-	Do-	Broken
83	Bird cage (for 8-birds)		N/A	Do-	Do-	Do-	Unrepairable
84	Mercury tube hanging point	01	N/A	Do-	Do-	Do-	Of no use so discardable
85	Wooden stain rack for bottle	01	N/A	Do-	Do-	Do-	Broken
86	Sprit lamp	01	N/A	Do-	Do-	Do-	Unrepairable
87	Glass cutter	01	N/A	Do-	Do-	Do-	Unrepairable
88	Cork pressure	01	N/A	Do-	Do-	Do-	Unrepairable
89	Iron shook to hang ceiling fan	01	N/A	Do-	Do-	Do-	Of no use so discardable
90	Krahi	01	N/A	Do-	Do-	Do-	Of no use so discardable
91	Glass (Steel)	02	N/A	Do-	Do-	Do-	Of no use so discardable
92	Celling fan	03	N/A	Do-	Do-	Do-	Unrepairable
93	Fan hook (to hang ceiling fan)	02	N/A	Do-	Do-	Do-	Of no use so discardable
94	Copper plate	01	17	1991	Do-	Do-	Of no use so discardable
95	Hag cutter	01	72	1991	Do-	Do-	Of no use so discardable
96	Balance counter scale	01	N/A	More than 10 Years	Do-	Do-	Of no use so discardable

(B.C. Patel)
8.8.18

Asstt Comptroller, BVC

(R.K. Sinha)
20/8/18
Asstt Prof, LPM

(M.K. Sinha)
20/8/18
Asstt Prof, Anat

(C.M.)
20/8/18
Chairman Animal Nutrition

(S.Samnata Ray)
20/8/18
(Dean, BVC)

Item No- 68 to 96 from LPT have been physically verified & found unserviceable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
97	Pressure cooker	01	515	1992	Do-	Do-	Of no use so discardable
98	Pressure pan	01	548	1992	Do-	Do-	Of no use so discardable
99	Type writer 2000 model English	01	8224	1992	Do-	Do-	Of no use so discardable
100	Forceps steel	07	N/A	More than 10 Years	Do-	Do-	Of no use so discardable
101	Platinum wire holder	01	N/A	Do-	Do-	Do-	Of no use so discardable
102	Spatula (steel)	01	N/A	Do-	Do-	Do-	Of no use so discardable
103	B. P. handle	06	N/A	Do-	Do-	Do-	Broken
104	Triangular file with handle	01	N/A	Do-	Do-	Do-	Broken
105	Ordinary lock	03	N/A	Do-	Do-	Do-	Of no use so discardable
106	Pedestal polar fan		N/A	Do-	Do-	Do-	Unrepairable
107	Table fan	01	N/A	Do-	Do-	Do-	Unrepairable
108	Silica basin		N/A	Do-	Do-	Do-	Of no use so discardable
109	Board		N/A	Do-	Do-	Do-	Of no use so discardable
110	Spatula with one side spoon		N/A	Do-	Do-	Do-	Of no use so discardable
111	Artery forceps		N/A	Do-	Do-	Do-	Of no use so discardable
112	Scissors steel	01	N/A	Do-	Do-	Do-	Of no use so discardable
113	Scalpel steel	01	N/A	Do-	Do-	Do-	Of no use so discardable
114	Test tube stand	02	N/A	Do-	Do-	Do-	Broken
115	Loop holder	02	N/A	Do-	Do-	Do-	Of no use so discardable
116	Bunsen burner with brass top	02	N/A	Do-	Do-	Do-	Of no use so discardable
117	Enamel tray	04	N/A	Do-	Do-	Do-	Of no use so discardable
118	Moisture cup stainless steel	20	N/A	Do-	Do-	Do-	Of no use so discardable
119	Atlas cycle	01	N/A	Do-	Do-	Do-	Of no use so discardable
120	Aluminium box (Tiffin box)	03	N/A	Do-	Do-	Do-	Broken
121	Steel tray	03	N/A	Do-	Do-	Do-	Broken
122	Iron bucket big (62 Lit.9big)	01	N/A	Do-	Do-	Do-	Of no use so discardable
123	Iron bucket small (25 Lt.)	01	N/A	Do-	Do-	Do-	Of no use so discardable
124	Presto board	01	N/A	Do-	Do-	Do-	Of no use so discardable
125	Kudal	02	N/A	Do-	Do-	Do-	Of no use so discardable
26	Brass air cock	01	N/A	Do-	Do-	Do-	Of no use so discardable
127	Brass T	01	N/A	Do-	Do-	Do-	Of no use so discardable

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Siffa)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item No - 97 to 127 from LPT have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
128	Scanner	01	6000	2001	Do-	Do-	Unrepairable
129	Gas stove	01	N/A	More than 10 Years	Do-	Do-	Unrepairable
130	Scissors	02	N/A	Do-	Do-	Do-	Unrepairable
131	Boss head brass oxidized	12	N/A	Do-	Do-	Do-	Of no use so discardable
132	Burette clamp	12	N/A	Do-	Do-	Do-	Unrepairable
135	Display board	20	4100	1997	Do-	Do-	Unrepairable

EXTENSION EDUCATION

1	2	3	4	5	6	7	
1	Wooden Small Table	01	NA	1997-1998	More than 5 Years	More than 3 years	Broken
2	Sisum wood Secretariat table	01	NA	1997-1998	More than 5 Years	More than 3 years	Broken
3	Arm Chair Can seated	02	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
4	Stationary Cabinet sisum wood	05	NA	1997-1998	More than 5 Years	More than 3 years	Broken
5	Stationary Cabinet teek wood	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use os discardable
6	Wooden paper tray	06	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
7	Gun type Microphone stand	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
8	Thali Brash	12	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
9	Cups Katori, Stenless steel	10	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
10	Cinema Screen, glass baded (U.S.A) makes, 52"x70" complete with Tripod stand	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
11	Dabbu 1/2 Sar weight	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
12	T Squire, 32",42" and 54" Total = 3	03	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable

(B.C. Patel) 8-18
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha) 22/8/18
Asstt Prof, Anat

(C.M) 22/8/18
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item NO - 128 to 135 from LPT & 01 to 12 from Extension Education have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
13	Dril bets set of 8 pieces 1/16 to 1"	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
14	16 M.M.Film Rewinder	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
15	400 fits spool with cane	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
16	Nose plier 6" Indian	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
17	Line correcting transformer 190 to 250 V.	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
18	Small Table	02	NA	1997-1998	More than 5 Years	More than 3 years	Broken
19	Mouth Jag for cattle	02	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
20	16 M.M Mixed farming film 1 reel	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
21	Godrej Armless steel chair revolving	02	NA	1997-1998	More than 5 Years	More than 3 years	Broken
22	Soap case E.I	02	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
23	Philips 6 watts , Speaker teak wood.	04	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
24	Table model Gun type stand	02	NA	1997-1998	More than 5 Years	More than 3 years	Broken
25	Adjustable leg high portable R.C.A Projector stand	01	NA	1997-1998	More than 5 Years	More than 3 years	Broken
26	Drive Unit, 30 U.D	02	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
27	Microphone stand	03	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
28	Projector Screen Tripod Stand (1+1+1=3)	02	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
29	Projector Stand	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Siffha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S. Samnata Ray)
(Dean, BVC)

Item NO-13 to 29 from Extension edu. have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
30	Minolta Camera with case	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
31	Film Producing clean milk	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
32	Film their health is wealth	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
33	Film poultry Nutrition	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
34	Film Cross breeding	01	NA	1997-1998	More than 5 Years	More than 3 years	Of no use so discardable
35	Philips Amplifier	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
36	Tri Acitate Roll	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
37	Philips Portable wireless P.L.A system Voice Pro 3 No.-ZX 035001, L- 48	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
38	Philips Amplifier, Lact 8185 - 120 watts	01	NA	1997-1998	More than 5 Years	More than 3 years	Unserviceable
39	Philips Speaker, LBD, 837430 watts.	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
40	Philips Microphone	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
41	HP Computer Set	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
42	Horn Unit A.U 35	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
43	Ahuja Mike Model – U.D,	02	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
44	Memory Stick (1 GB)	01	NA	2006-2006	More than 5 Years	More than 3 years	Of no use so discardable

8-18
(B.C. Patel)

Asstt Comptroller, BVC

12/8/18
(R.K Sinha)

Asstt Prof, LPM

12/8/18
(M.K. Sinha)

Asstt Prof, Anat

12/8/18
(C.M)

Chairman Animal Nutrition

12/8/18
(S.Samnata Ray)

(Dean, BVC)

Item No - 30-44 of Extention Educ. have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
45	Sharp , DLP, Projector model-32	01	NA	2008-2009	More than 5 Years	More than 3 years	Unrepairable
46	Steelex Steel Revolving Chair	01	NA	1997-1998	More than 5 Years	More than 3 years	Broken
47	Link Lock-11 medium size	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
48	Philips Amplifire	01	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable
49	LCD Projector, Make NEC, Mod.- NP 100 Lumance 2000 SVGA	01	NA		More than 5 Years	More than 3 years	Unrepairable
50	Memory Card (2 GB)	01	NA	2008-2009		More than 3 years	Unrepairable
51	Tripod Stand for Voideography	01	NA		More than 5 Years	More than 3 years	Unrepairable
52	Sony DVD Handycam	01	NA	2006-2007	More than 5 Years	More than 3 years	Unrepairable
53	Display board, size-3'x2'	02	NA	2006-2007	More than 5 Years	More than 3 years	Unrepairable
54	DVD Writer (L.G)	01	NA	2006-2007	More than 5 Years	More than 3 years	Unserviceable
55	L.C.D Multimedia Projector, M.O CPS, 210 B rightness, 1200 AN Sitaw, SVGA Lamp, 130 U.H.B with carry bag.	01	NA	2008-2009	More than 5 Years	More than 3 years	Unrepairable
56	Water Cooler (old)	01	NA	2008-2009	More than 5 Years	More than 3 years	Unrepairable
57	DVD Writer (L.G)	01	NA	2009-2010	More than 5 Years	More than 3 years	Unrepairable
58	Mouse, T.C 328	01	NA	do	More than 5 Years	More than 3 years	Unrepairable
59	Pastle & Martor 26 oz	02	NA	1997-1998	More than 5 Years	More than 3 years	Unrepairable

(B.C. Patil) 8/8/18
Asstt Comptroller, BVC

(R.K Sinha) 8/8/18
Asstt Prof, LPM

(M.K. Sinha) 8/8/18
Asstt Prof, Anat

(C.M) 8/8/18
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item No 45 to 59 of Extension Educ. have been verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
60	Pastle & Martor 60 oz	02	NA	do	More than 5 Years	More than 3 years	Of no use so discardable
61	Pest & Martor (Glass 8 oz)	01	NA	do	More than 5 Years	More than 3 years	Of no use so discardable
62	Pest & Martor (Glass 2 oz)	01	NA	do	More than 5 Years	More than 3 years	Of no use so discardable
63	Meg Phone	02	NA	do	More than 5 Years	More than 3 years	Of no use so discardable
64	Bardrizzo Castrator 19"	01	NA	do	More than 5 Years	More than 3 years	Of no use so discardable
	<u>Training Hall</u>						
1	Supreem Writing Pad Chair		NA	2009-2010	More than 5 Years	More than 3 years	Of no use so discardable
2	Fan	01	NA	do	More than 5 Years	More than 3 years	Of no use so discardable
3	Table	01	NA	do	More than 5 Years	More than 3 years	Broken
4	Chair	15	NA	do	More than 5 Years	More than 3 years	Broken
5	Key + Lock	02	NA	do	More than 5 Years	More than 3 years	Of no use so discardable

PROJECT HOSTEL

1	2	3	4	5	6	7	8
1	Tube box (Single)	18	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
2	Tube light box (double)	06	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
3	Celling fan	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
4	Decchi	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
5	Karahi	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Kay)
(Dean, BVC)

Item no - 60-64 are extension educ. & item no 1 to 5 for training hall & item no - 1 to 5 for project hostel have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
6	Chakla Belan	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
7	Tawa	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
8	Chholani	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
9	Karchhul	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
10	Ghotani	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
11	Bread Net	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
12	Thali	15	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
12	Glass Steel	20	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
13	Katori Steel	20	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
	Surya Flame	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
	Steel Chimta	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
14	Supreem Chair	10	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
15	Supreem Chair (Supreem dining set)	02	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardabel
16	Batti Chulha Iron	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
17	Cot Wooden (small stand)	02	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
18	Lock	06	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
19	Thali (Fiver plate)	40	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
20	Table spoon	40	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable

(B.C. Patel)

Asstt Comptroller, BVC

(R.K Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M)

Chairman Animal Nutrition

(S.Samnata Ray)

(Dean, BVC)

Item No-6 to 20 for Project hostel have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
21	Tray Sttel	02	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
22	Crate (Fiver)	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
23	Chaku	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
24	Chhilani	01	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable
25	Iron pipe make cot	26	NA	2006-2007	More than 5 Years	More than 3 years	Of no use so discardable

PHOTO ART SECTION

1	2	3	4	5	6	7	8
	Miscellaneous Articles		NA	2001-2002	More than 5 Years	More than 3 years	
1	Sanderson camera ½ plate size	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
2	Zies Tessa lens for ½ plate f-4.5	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
3	Double dark slide for ½ camera	03	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardabel
4	Wood Tripod	01	NA	2001-2002	More than 5 Years	More than 3 years	Broken
5	Developing Dish 12 ½ "x10 ½ "	03	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
6	Rolleiflex camera bearing No. 1078446 with f 3.5, zies Tessor lens No-30 31882 Rolleikin plate adapter 2 slides and filter and Rolleinar and Rolleipar lens and P. head	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
7	Metal Tripod	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
8	Diamond pen or glass cutter pen	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardabel

(B.C. Patel)

Asstt Comptroller, BVC

(R.K. Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M.)

Chairman Animal Nutrition

(S.Samnata Ray)

(Dean, BVC)

Item No-21-25 from Project Hostel & Item No 1 to 8 from Photoart Sectⁿ have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
9	Daree (Carpet) 10'x8'	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardabel
10	Metal Tray (Tin Tray) round 12 ½" diameter	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
11	Brass Lock, medium size	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
12	Drawing board, draftsman quality 30"x43"	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
13	Hand drill Machine	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
14	Screw Driver kit of 6 items inclusive handle	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
15	Bucket Iron 11" size	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
16	Wooden roller 37" and 33"	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
17	Extension Switch board	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
18	5.5" deam sefe light filter 6BR and 6B	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
19.	Glazing machine 11"x15"	01	NA	2001-2002	More than 5 Years	More than 3 years	Unserviceable
20	Earthing Jar	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
21	Photo printing frame ½ size	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discrdable
22	Photo printing frame ¼ size	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
23	Photo trays enameled 10"x12" size	03	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
24	Photo trays enamilled 12"x15" size	04	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
25	Photo trays enamilled 16"x20" size	04	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable

(B.C. Patel) 8.18
Asstt Comptroller, BVC

(R.K Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Item NO - 09 to 25 Photo and secⁿ have been physically verified & found unsewntiscable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
26	Small Pad Lock click	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
27	Seissors 10"	02	NA				Of no use so discardable
28	Measuring Tapes 50'	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
29	All steel trimmer straight edge	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
30	Basinpus enamelled	15	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
31	Water sucking pump	04	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
32	Bestoptic microscope complete with high & low power and oil immersion lens, machnical stages and eye piece in wooden cabinet	01	NA	2001-2002	More than 5 Years	More than 3 years	So discardable
33	AGIL Trimmer 16"	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
34	Roller double (Agfa squizer)	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
35	Alluminium soucep	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
36	T square 42"	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
37	35 m.m AFE Minolta Camera Photophone India with case	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
38	Electric room heater	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
39	Masking board for inlarge	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
40	Photo roller (squizer)	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
41	MZ- M Pentax S.L.R Camera	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable

(B.C. Patel)

Asstt Comptroller, BVC

(R.K. Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M.)

Chairman Animal Nutrition

(S.Samnata Kay)

(Dean, BVC)

Item No - 26 to 41 from Photo art set have been physically verified & found unserviceable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
42	Kako Flushgun	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
43	Sony Charger with Battery		NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable & Very old
44	Photography flash conector (Hot Show)	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable & Very old
45	A-C-L 200/IC, E 33 (PV - AC-adapter)	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable

Articles Received under T.C.M

1	Beselar Enlarger 57 MB model without lens	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
2	Projection View finder 35 m.m Sl. No.-22-30713 with film strip and 35 m.m slide for projection	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
3	Projection Screen 70"x70"	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable & Very old
4	Projection Screen 77440, 7'-2"x3'-2" attached to metal tripod folding stand	01	NA	2001-2002	More than 5 Years	More than 3 years	Unserviceable
5	Projection stand large wooden size 2'-1"x1'-5"x3'-4"	01	NA	2001-2002	More than 5 Years	More than 3 years	Broken
6	Film pack adapter (Greflex) 4 1/2"x3 1/4"	12	NA	2001-2002	More than 5 Years	More than 3 years	Broken
7	Double plate holder (Greflex) 4 1/2"x3 1/4"	06	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
8	Transformer for Projection 49441-280 volt power state type 2161, 0 to 250 volt.s	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
9	Transformer rectangular, Jefferson .	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable

(B.C. Patel) 20/8/18

Asstt Comptroller, BVC

(R.K. Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M.) 20/8/18

Chairman Animal Nutrition

(S. Samnata Ray)

(Dean, BVC)


Item NO 42-45 for photo & art section & Item NO 1 to 9 from T.C.M. have been physically verified & found unserviceable

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
10	Eye piece camera viewing head conssting of a. Unit complete 35 mm for attaching viewing head-one b. Cone attached model eye piece camera – one c. Film pack holder- Two d. Cut film holder – Two e. Reference manual – one	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
11.	Koloflex camera with case	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
12	Projection type Epideascope B&C	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
13	Professional typemodel P-27 special Microscope Illulminator	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
14	Cut film holder 4 1/4" x 3 1/4"	11	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
15	Steel stand for small projection viewlex 2'- 1/2"x 1'-4"x 2'-3"	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
16	Type 'K' photo micrographic camera consisting of : a Ground glass focusisng screen - One b Plate holder – One c Observation eye piece - One d Reference manual - One	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
17	Transformer of designs and sizes: a Oval model 220 cat No.- 269-001 b Rectangular Jefferson type	05	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable

Item no. 10 to 17 of TCM have been physically verified and found unserviceable.
 (B.C. Patil) (R.K. Sinha) (M.K. Sinha) (C.M.)
 Asstt Comptroller, BVC Asstt Prof, LPM Asstt Prof, Anat Chairman Animal Nutrition

(S.Samnata Ray)
 (Dean, BVC)

5	42-46-98 B&L cat No. 969-001 -202 power volt 230 - Two C Round cylindrical type 116 per volt 120.0 to 140 - One d Square Amperes 15 A. 125 volt switch is broken - One						
---	--	--	--	--	--	--	--



[Signature]
 (B.C. Patel)
 Asstt Comptroller, BVC

[Signature]
 (R.K. Sinha)
 Asstt Prof, LPM


[Signature]
 (M.K. Sinha)
 Asstt Prof, Anat


[Signature]
 (C.M)
 Chairman Animal Nutrition


[Signature]
 (S.Samnata Ray)
 (Dean, BVC)


Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
Furniture's							
1	Teak wood Almirah closed door with selaves 5'-7"x3'-7"x1'-8 1/2" No. - (1)	01	NA	2001-2002	More than 5 Years	More than 3 years	Broken & Very old
2	Godrej Steel Revolving Chair	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
3	Almirah Glass door wth slaves	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
2	Stool 2' and 2'-3" high - 2 of each size	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
3	Chair Can/Plastic seated	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
4	Enlarging board on stand 5'-8 1/2"	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
4	Lantern slide show case with cup boards 3'-11"x20 1/2"x9" (Electric fitting out of order)	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
5	Cover for Beselar enlarger wooden 4'-5"x2'x2'-9 1/2"	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
6	Rack for reagent 2'-1"x18 1/2"x9"	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable
7	Cover for Epidiascope wooden 2'-8"x1'-4"x1'-11 1/2"	01	NA	2001-2002	More than 5 Years	More than 3 years	Broken & Very old


Item no. 1 to 7 under Furniture head have been physically verified and found unserviceable.


(B.C. Patel)
Asstt Comptroller, BVC


(R.K. Sinha)
Asstt Prof, LPM


(M.K. Sinha)
Asstt Prof, Anat


(C.M.)
Chairman Animal Nutrition


(S. Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
8	Cover for 35mm viewlex, wooden 1'-3"x16"x16"	01	NA	2001-2002	More than 5 Years	More than 3 years	Unrepairable & Very old
9	Table plan wooden 3'-6"x2'-6"x2'-6" No.- (4) and (5)	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
10	Table wooden plan 3'-6"x2'-6"x2'-3" No.-(3)	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
11	Table wooden plan small 2'-3"x1'-6"x2'-3" No- (1)	01	NA	2001-2002	More than 5 Years	More than 3 years	Broken & Very old
12	Chair armless wooden too old	01	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable
13	Folding armless steel chair	02	NA	2001-2002	More than 5 Years	More than 3 years	Of no use so discardable

CONFERENCE HALL

1	2	3	4	5	6	7	8
1	Tube Stand double	08	NA	2006-2007	More than 5 Years	More than 3 years	Unrepairable
2	Tube stand single	02	NA	2006-2007	More than 5 Years	More than 3 years	Unrepairable
3	Godrej Table	03	NA	2006-2007	More than 5 Years	More than 3 years	Broken & Very old
4	Godrej Steel Chair	30	NA	2006-2007	More than 5 Years	More than 3 years	Unrepairable

PHARMACOLOGY & TOXICOLOGY

1	2	3	4	5	6	7	8
1.	Chair cane seated - Qty. 01	01	Not available	27 years	Not available	12 years	Unrepairable
2.	Chair wooden - Qty. 01	01	Not available	53 years	6 years	3 years	Broken & Very old
3.	Superior Ink Stand - Qty. 01	01	Not available	60 years	4 years	2 years	Of no use so discardable
4.	Lock Miller master - Qty. 01	01	Not available	60 years	8 years	5 years	Of no use so dis cardable

Item no 8 to 13 of furniture head, 2 item no 1 to 4 of Conference hall and Item no. 1 to 4 of Pharmacology & Toxicology have been
 (B.C. Patel) 18/08/18 (R.K. Sinha) (M.K. Sinha) (C.M.) (S.Samnata Ray) 22/8/18
 Asstt Comptroller, BVC Asstt Prof, LPM Asstt Prof, Anat Chairman Animal Nutrition (Dean, BVC) 55
 physically verified and found unserviceable.

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
5.	Pharmacy scissor – Qty. 02	02	Not available	60 years	8 years	7 years	Of no use so discardable
6.	Ointment Slab – Qty. 01	01	Not available	60 years	4 years	2 years	Of no use so discardable
7.	Pen torch – Qty. 01	01	Not available	53 years	8 years	6 years	Of no use so discardable
8.	Spatula – Qty. 02	02	Not available	60 years	--	6 years	Of no use so discardable
9.	Test tube bucket G.I. wire – Qty. 01	01	Not available	49 years	17 years	10 years	Of no use so discardable
10.	Test tube stand wooden – Qty. 01	01	Not available	60 years	--	7 years	Of no use so discardable
11.	Refrigerator, 165 Ltr. – Qty. 01	01	Rs. 4,952.32	38 years	9 years	1 year	Unrepairable & Very old
12.	Extraction Heater Soxlet Apparatus – Qty. 01	01	Not available	38 years	2 years	1 year	Unrepairable
13.	Techno Cook's Pole Climbing Apparatus – Qty. 01	01	Not available	38 years	5 years	1 year	Of no use so discardable
14.	Electro-convulsimeter – Qty. 01	01	Rs. 2,400/-	38 years	5 years	1 year	Of no use so discardable
15.	Heat Plate Analgesia Apparatus (Techno) – Qty. 01	01	Rs. 3,600/-	38 years	5 years	1 year	Of no use so discardable
16.	Oriental Fan multipurpose – Qty. 01	01	Rs. 350/-	35 years	5 years	1 year	Unrepairable
17.	Blue Line Servo Voltage Stabilizer – Qty. 01	01	Rs. 4,790/-	35 years	11 years	1 year	Of no use so discardable
18.	Rabbit/ pig/ rat/ mice cage (Size 1½' x 1½' x 2' - Qty. 04	04	Rs. 350/-	31 years	--	6 years	Of no use so discardable
19.	Rabbit/ pig/ rat/ mice cage (Size 10" x 1' x 8" - Qty. 04	04	Rs. 250/-	31 years	--	6 years	Of no use so discardable

Item no. 5 to 19 of Pharmacology & Toxicology Dept. have been physically verified & found unserviceable.

(Signature)
(B.C. Patel)
Asstt Comptroller, BVC


(Signature)
(R.K. Sinha)
Asstt Prof, LPM

(Signature)
(M.K. Sinha)
Asstt Prof, Anat

(Signature)
(C.M.)
Chairman Animal Nutrition

(Signature)
(S.Samnata Ray)
(Dean, BVC)

20.	Incubator BOD - Qty. 01	01	Rs. 12,260/-	32 years	2 years	1 year	Of no use so discard label
-----	-------------------------	----	--------------	----------	---------	--------	----------------------------



Item no. 20 of Pharmacology + Toxicology Deptt. - have been physically verified and found unserviceable.

[Signature]
 (B.C. Patel)
 Asstt Comptroller, BVC

[Signature]
 (R.K. Sinha)
 Asstt Prof, LPM

[Signature]
 (M.K. Sinha)
 Asstt Prof, Anat

[Signature]
 (C.M)
 Chairman Animal Nutrition

[Signature]
 (S.Samnata Ray)
 (Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
21.	Analytical balance mono Pan – Qty. 01	01	Rs. 78/-	31 years	15 years	6 years	Of no use so dicardable
22.	MM221 Two unit thermostatic organ bath & MM 235 miniature pump (Qty. - One Set)	01 set	Rs. 4,124/-	28 years	7 years	1 year	Of no use so discardable
23.	Pocket calculator – Qty. 01	01	Rs. 210/-	25 years	2 year	1 year	Unrepairable
24.	Overhead Projector – Qty. 01	01	Rs. 8,500/-	19 years	6 years	1 year	Unrepairable
25.	Trolley for Inverter battery – Qty. 01	01	Rs. 250/-	14 years	--	6 years	Broken
26.	Pocket Stop Watch – Qty. 01	01	Not available	56 years	12 years	11 years	Unrepairable
27.	Frog Heat Chamber – Qty. 02	02	Not available	55 years	7 years	6 years	Of no use so discardable
28.	Motor of Kymograph - Qty. 02	02	Not available	52 years	2 years	1 year	Unreparable
29.	Rubber Preservation Box (45 x 30 x 25cm) – Qty. 02	02	Not available	54 years	6 years	2 years	Of no use so discardable

GAMES & SPORTS

1	2	3	4	5	6	7	
1.	Football goal post	01 P	NA	10 Years	-	10 Years	Junk & so discardable
2.	Volleyball poll	01 p	NA	10 Years	-	10 Years	Of no use so discardable
3.	Basketball poll	01	NA	10 Years	-	10 Years	Of no use so discardable
4.	Roman Ring	01	NA	10 Years	-	10 Years	Of no use so discardable
5.	Horizontal Wire	04	NA	10 Years	-	10 Years	Of no use so discardable
6.	Roman Board	01	NA	10 Years	-	10 Years	Broken & Very old
7.	Cut off Board (Wooden)	01	NA	10 Years	-	10 Years	Broken & Very old
8.	Toe Board	01	NA	10 Years	-	10 Years	Of no use so discardable
9.	High Jump Stand	01p	NA	10 Years	-	10 Years	Of no use so discardable
10.	Cross War	N.A	NA	10 Years	-	10 Years	Of no use so discardable
11.	Electricity Board (Wooden)	01	NA	10 Years	-	10 Years	Of no use so discardable
12.	Poll Volt Turf	01	NA	10 Years	-	10 Years	Of no use so discardable

Item no. 21 to 29 of Pharmacology Dept. and Item no. 1 to 12 of Games & Sports section have been physically verified & found accurate.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samanta Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
13.	Shot Put (Male)	01	NA	10 Years	-	10 Years	of no use so discardable
14.	Shot Put (Female)	02	NA	10 Years	-	10 Years	Of no use so discardable
15.	Discuss (Male)	02	NA	10 Years	-	10 Years	Of no use so discardable
16.	Discuss (Female)	02	NA	10 Years	-	10 Years	Of no use so discardable
17.	Sports Pistol	01	NA	10 Years	-	10 Years	Of no use so discardable
18.	Measuring Tape	01	NA	10 Years	-	10 Years	Of no use so discardable
19.	Iron Bucket	01	NA	10 Years	-	10 Years	Junk & so discardable
20.	Kudal	02	NA	10 Years	-	10 Years	Of no use so discardable
21.	Stop Watch	01	NA	10 Years	-	10 Years	Unrepairable
22.	Sipon Double	01	NA	10 Years	-	10 Years	Of no use so discardable
23.	First Aid Box	01	NA	10 Years	-	10 Years	Of no use so discardable
24.	Lock Local	03	NA	10 Years	-	10 Years	Of no use so discardable
25.	Air pump	02	NA	10 Years	-	10 Years	Of no use so discardable
26.	Teni Quatin	04	NA	10 Years	-	10 Years	Of no use so discardable
27.	Victory Stand (Wooden)	01	NA	10 Years	-	10 Years	Broken & Very old
28.	Steel Glass	01	NA	10 Years	-	10 Years	Of no use so discardable
29.	Football Goal post support	01	NA	10 Years	-	10 Years	Of no use so discardable
30.	Sign Board	01	NA	10 Years	-	10 Years	Junk & So discardable
31.	Iron Rack	01	NA	10 Years	-	10 Years	Junk & so discardable
32.	Table (Wooden)	01	NA	10 Years	-	10 Years	Broken & Very old

MICROBIOLOGY

1	2	3	4	5	6	7	8
1	Chair Can seated	07	Not Available	29 yrs	28 yrs	1 yrs	Of no use so discardable
2	Chair half arm	04	Not Available	29 yrs	28 yrs	1 yrs	Of no use so discardable
3	Chair Revolving	01	Not Available	29 yrs	28 yrs	1 yrs	Of no use so discardable
4	Dark field Illuminator	01	Not Available	29 yrs	28 yrs	1 yrs	Of no use so discardable
5	Demonstration Eye Piece	01	Not Available	29 yrs	28 yrs	1 yrs	Of no use so discardable

Item no. 13 to 32 of Grammer + Sport section and item no. 1 to 5 of Microbiology section have been physically verified and found unserviceable.

(Signature)
(B.C. Patel)
Asstt Comptroller, BVC

(Signature)
(R.K. Sinha)
Asstt Prof, LPM


(Signature)
(M.K. Sinha)
Asstt Prof, Anat


(Signature)
(C.M.)
Chairman Animal Nutrition


(Signature)
(S.Samnata Ray)
(Dean, BVC)


Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
6	Enamel Tray 24x18	01	Not Available	29 yrs	25 yrs	4 yrs	Of no use so discardable
7	Fermentation Vessel	02	Not Available	29 yrs	25 yrs	4 yrs	Of no use so discardable
8	Film Spreader	01	Not Available	29 yrs	25 yrs	4 yrs	Of no use so discardable
9	Film Cabinet	01	Not Available	29 yrs	25 yrs	4 yrs	Of no use so discardable
10	Fish Tail Burner	01	Not Available	29 yrs	25 yrs	4 yrs	So discardable
11	Flame Spreader	01	Not Available	29 yrs	25 yrs	4 yrs	Of no use so discardable
12	Haemoglobinometer	01	Not Available	29 yrs	25 yrs	4 yrs	Unrepairable
13	High Pressure Steriliser	01	Not Available	29 yrs	25 yrs	4 yrs	Unrepairable
14	Hot Air Oven	01	Not Available	29 yrs	28 yrs	2 yrs	Unrepairable & Very old
15	Microscope (Student)	12	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
16	Microscope (Monocular)	03	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
17	Microscope (Olympus)	05	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
18	Microscope (Binocular)	09	Not Available	29 yrs	28 yrs	1 yrs	Of no use so discardable
19	Phase Contrast Equipment	01	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
20	Rack for ESR tube	01	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
21	Revolving Book Self (Wooden)	02	Not Available	29 yrs	28 yrs	1 yrs	Broken & Very old


Item no. 6 to 21 of microbiology dept. have been physically verified and found unserviceable.


(B.C. Patel)
Asstt Comptroller, BVC


(R.K. Sinha)
Asstt Prof, LPM


(M.K. Sinha)
Asstt Prof, Anat



(C.M.)
Chairman Animal Nutrition



(S. Samnata Ray)
(Dean, BVC)


Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
22	Stove	03	Not Available	29 yrs	25 yrs	4 yrs	Broken & Very old
23	Table Secretariat	02	Not Available	29 yrs	28 yrs	1 yrs	Broken & Very old
24	Tissue Culture Hood	01	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
25	U.V. Inspection Chamber	01	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
26	Vacuum Pump	01	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
27	Slide Projector	01	Not Available	29 yrs	28 yrs	1 yrs	Unrepairable
28	Autoclave 14"x"14	01	Not Available	29 yrs	28 yrs	1 yrs	Of no use so discardable
29	Incubator 14"x14"x14x"	01	Not Available	19 yrs	18 yrs	1 yrs	Of no use so discardable
30	Revolving Chair	02	Rs 6500.00/ each	11 yrs	10 yrs	1 yrs	Broken & Very old
31	Visitor Chair	02	@ Rs. 1700.00 each	11 yrs	10 yrs	1 yrs	Of no use so discardable
32	Air Conditioner (National)	01	Not Available	17 yrs	14 yrs	3 yrs	Unrepairable
33	Computer (IBM) with Dot matrix Printer	01	Not Available	17 yrs	14 yrs	3 yrs	Unrepairable
34	Exide Battery (500 V.A.)	01	@ Rs 4747.00	14 yrs	14 yrs	3 yrs	Unrepairable
35	Deep Freezer 492 liter (Blue Star)	01	Not Available	16 yrs	15 yrs	1 yrs	Unrepairable
36	Scanner Compaq	01	@ Rs 7990.00	16 yrs	15 yrs	1 yrs	Unrepairable


Item no. 22 to 36 of microbiology dept. have been physically verified and found unserviceable.


(B.C. Patel)
Asstt Comptroller, BVC


(R.K. Sinha)
Asstt Prof, LPM



(M.K. Sinha)
Asstt Prof, Anat



(C.M.)
Chairman Animal Nutrition



(S. Samnata Ray)
(Dean, BVC)


Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
37	Quali Pipette (0.5-10ul)	01	Not Available	17 yrs	16 yrs	1 yrs	Of no use so discardable
38	Quali Pipette (50-200ul)	01	Not Available	17 yrs	16 yrs	1 yrs	Of no use so discardable
39	Quali Pipette (200-1000ul)	01	Not Available	17 yrs	16 yrs	1 yrs	Of no use so discardable
40	Table (Computer)	01	Rs 3100.00	17 yrs	16 yrs	1 yrs	Broken & Very old
41	U.P.S. (IK.V.A.)	01	Not Available	17 yrs	16 yrs	1 yrs	Unrepairable
42	U.P.S. (0.5 K.V.A.)	01	Not Available	17 yrs	16 yrs	1 yrs	Unrepairable
43	U.P.S. (0.625 K.V.A)	01	Rs 8532.00	16 yrs	15 yrs	1 yrs	Unrepairable
44	Small Lock	01	Not Available	21 yrs	18 yrs	3 yrs	Junk & so discardable
45	Godrej Refrigerator(230 lit)	01	Not Available	21 yrs	18 yrs	3 yrs	Unrepairable
46	Room Air Conditioner (1.5Ton)	01	Not Available	21 yrs	18 yrs	3 yrs	Unrepairable
47	Room Heater	01	Not Available	21 yrs	18 yrs	3 yrs	Unrepairable
48	Voltage Stabilizer 1 K V.A Sen Pandit	01	Not Available	21 yrs	18 yrs	3 yrs	Unserviceable
49	Microplate Reader	01	Not Available	20 yrs	19 yrs	1 yrs	Unrepairable
50	Microplate Manager P.C DataAnalyser	01	Not Available	20 yrs	19 yrs	1 yrs	Unrepairable
51	Immunowash (Microplate Washer)	01	Not Available	20 yrs	19 yrs	1 yrs	Unrepairable
52	Voltage Stabilizer (Sen & Pandit)	01	Not Available	20 yrs	17 yrs	3 yrs	Unrepairable


Item no. 37 to 52 of microbiology dept. have been physically verified and found unserviceable


(B.C. Patel)
Asstt Comptroller, BVC


(R.K. Sinha)
Asstt Prof, LPM


(M.K. Sinha)
Asstt Prof, Anat


(C.M)
Chairman Animal Nutrition


(S. Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
53	Pantium II (HCL)	01	Not Available	19 yrs	18 yrs	1 yrs	Unrepairable
54	HP Laser Printer	01	Not Available	19 yrs	16 yrs	3 yrs	Unrepairable
55	C.V.T. 0.5 K.V.A (Shilpa)	01	Not Available	19 yrs	16 yrs	3 yrs	Of no use so discardable
56	Couriter Scale (Weighing Machine)	01	Rs 818.00	18 yrs	15 yrs	3 yrs	Unrepairable
57	Weight (5gm To 200gm)	01	Rs 272.00/ each	18 yrs	15 yrs	3 yrs	Of no use so discardable
58	Microplate Reader Model550 (Biorad)	01	Rs. 1,70,000.00	17 yrs	16 yrs	1 yrs	Of no use so discardable
59	Computer Pantium III With Printer	01	Rs. 65,000.00	17 yrs	15 yrs	2 yrs	Unrepairable
60	Zenith Computer System With HP Laser Printer	01	Rs 49,500.00 + 23,500.00	17 yrs	15 yrs	2 yrs	Unrepairable
61	Air conditioner 1.5 Ton (National)	01	Not Available	15 yrs	13 yrs	2 yrs	Unserviceable
62	Refrigerated Centrifuge (Model RC 8100)	01	Not Available	22 yrs	21 yrs	1 yrs	Unrepairable
63	Knife Sharpner	01	Not Available	22 yrs	20 yrs	2 yrs	Of no use so discardable
64	U.V. VisibleSpectrophotometer	01	Not Available	22 yrs	19 yrs	3 yrs	Of no use so discardable
65	Florescent Microscope	01	Not Available	22 yrs	20 yrs	2 yrs	Unrepairable
66	Godrej Lock (65mmx7)	03	Rs 56 / each	21 yrs	18 yrs	3 yrs	Unrepairable

Item no. 53 to 66 of microbiology dept. have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
67	Godrej Lock (50mmx6)	01	Rs 35.84 / each	21 yrs	18 yrs	3 yrs	Of no use so discardable
68	ELISA Reader	01				2 yrs	

GUEST HOUSE

1	2	3	4	5	6	7	8
1.	Double Bed	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
2.	Single Bed	04	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
3.	Toshak	09	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
4.	Pillow	11	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
5.	Ceiling Fan	09	Not available	4 Years	1 yrs	3 yrs	Unrepairable
6.	Air Conditions	01	Not available	4 Years	1 yrs	3 yrs	Unrepairable
7.	Air Cooler	02	Not available	4 Years	2 yrs	2 yrs	Unrepairable
8.	Room Heater	02	Not available	4 Years	2 yrs	2 yrs	Unrepairable
9.	Lock	03	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
10.	Godrej Almira	01	Not available	4 Years	1 yrs	3 yrs	Broken
11.	Door Lock	04	Not available	4 Years	1 yrs	3 yrs	Unrepairable
12.	Wooden Alamahra	01	Not available	4 Years	3 yrs	1 yrs	Broken
13.	T.V, Coller	01	Not available	4 Years	3 yrs	1 yrs	Unserviceable

Item no. 67 to 68 & microbiology and item no. 1 to 13 of Guest house have been physically verified & found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
14.	Dressing table	01	Not available	4 Years	-	4 yrs	Broken & Very old
15.	Centre Table	05	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
16.	Fan Regulator	14	Not available	4 Years	-	4 yrs	Unrepairable
17.	Dressing Table		Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
18.	Table Phone Set	02	Not available	4 Years	-	4 yrs	Of no use so discardable
19.	Refrigerator	01	Not available	4 Years	3 yrs	1 yrs	Unrepairable
20.	Trolley	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
21.	Dining Table	01	Not available	4 Years	1 yrs	3 yrs	Broken
22.	T.V(Black &white)	01	Not available	4 Years	-	4 yrs	Unrepairable
23.	Electric Jhalar	02	Not available	4 Years	-	4 yrs	Of no use so discardable
24.	Wooden Door	04	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
25.	Wooden window Pala	02	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
26.	Grass Cutter Trolley	01	Not available	4 Years	-	4 yrs	Of no use so discardable
27.	Water Pump	01	Not available	4 Years	-	4 yrs	Of no use so discardable
28.	Pedestal Fan	01	Not available	4 Years	-	4 yrs	Unrepairable
29.	Cordless Panasonic	02	Not available	4 Years	-	4 yrs	Of no use so discardable

(B.C. Patel)

Asstt Comptroller, BVC

(R.K Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M)

Chairman Animal Nutrition

(S.Samnata Ray)

(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
30.	Harrest Attraction	01	Not available	4 Years	-	4 yrs	Of no use so discardable
31.	Grass Cutter	01	Not available	4 Years	1 yrs	3 yrs	Unrepairable
32.	Godrej Synthetic(3 Seater)	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardabel
33.	Godrej Chair (MPS-101)	24	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
34.	Godrej Side Table	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
35.	Godrej wooden Chair	02	Not available	4 Years	1 yrs	3 yrs	Broken
36.	Godrej Tress Boxing	04	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
37.	Godrej Plang System	10	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
38.	Godrej Dinning Chair	12	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
39.	Godrej Dinning Table	02	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
40.	Battery Trolley	01	Not available	4 Years	2 yrs	2 yrs	Of no use so discardable
41.	Gizer	05	Not available	4 Years	3 yrs	1 yrs	Unrepairable
42.	Table Phone	61	Not available	4 Years	1 yrs	3 yrs	Unrepairable
43.	Table Phone Monocular	02	Not available	4 Years	1 yrs	3 yrs	Unrepairable
44.	Watch	01	Not available	4 Years	1 yrs	3 yrs	Unrepairable
45.	Blanket	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable

Items no. 30 to 35 of final form have been physically verified and found unserviceable.

2.18
(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
46.	Smoke Less Chimney	01	Not available	4 Years	2 yrs	3 yrs	Unrepairable
47.	Veneer Cock	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
48.	Induction Cooker	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
49.	L.G Micro wave Oven	01	Not available	4 Years	1 yrs	3 yrs	Unrepairable
50.	Beetle Cordless Phone	01	Not available	4 Years	1 yrs	3 yrs	Unrepairable
51.	Cortney Set	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
52.	Setup Box(Air to Free)	02	Not available	4 Years	3 yrs	1 yrs	Of no use so discardable
53.	Aqua (Hot and Cold)	01	Not available	4 Years	2 yrs	2 yrs	Unrepairable
54.	Lawnmowers (Munal)	01	Not available	4 Years	2 yrs	2 yrs	Of no use so discardable
55.	Cycle (Trfa. From ABG Dept.)	01	Not available	4 Years	-	4 yrs	Of no use so discardable
56.	Write Non Stick Karchi	02	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
57.	Induction Fry Pan	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
58.	Tea Port Steel	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
59.	Karachi Alemiunem	63	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
60.	Part Alumnus	01	Not available	4 Years	1 yrs	3 yrs	Broken
61.	Wooden Chocki And Belon	61	Not available	4 Years	1 yrs	3 yrs	Broken

Item no. 46 to 61 of which have been seen physically verified and found unserviceable.

(B.C. Patel)

Asstt Comptroller, BVC

(R.K Sinha)

Asstt Prof, LPM

(M.K. Sinha)

Asstt Prof, Anat

(C.M)

Chairman Animal Nutrition

(S.Samnata Ray)

(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
62.	Mixer gridlines	01	Not available	4 Years	1 yrs	3 yrs	Unrepairable
63.	Juicer	01	Not available	4 Years	1 yrs	3 yrs	Unrepairable
64.	Dinner Set	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
65.	Milton steal Fork	02	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable
66.	China Tea Set	01	Not available	4 Years	1 yrs	3 yrs	Broken
67.	China Cofi Mug	04	Not available	4 Years	1 yrs	3 yrs	Broken
68.	Country Set	01	Not available	4 Years	1 yrs	3 yrs	Of no use so discardable

MEDICINE

1	2	3	4	5	6	7	8
1.	Haemocytometer	03	Not available	11 Years	8 yrs	3 yrs	Unrepairable
2.	Secretariat Table	01	Not available	11 Years	8 yrs	3 yrs	Of no use so discardable
3.	Cane seated Chair	03	Not available	11 Years	8 yrs	3 yrs	Of no use so discardable
4.	Godrej Revolving Chair	04	Not available	11 Years	8 yrs	3 yrs	Broken & Very old
5.	Bleeding Trochar	05	Not available	11 Years	8 yrs	3 yrs	Of no use so discardable
6.	Collar PH Comparator	01	Not available	11 Years	8 yrs	3 yrs	Unrepairable
7.	P 20 wars Remy Microscope 1757	01	Not available	11 Years	8 yrs	3 yrs	Unserviceable

Item no. 62 to 68 of Annex have and 2 to 7 of medicine have been physically verified and found

(B.C. Patel) 20/8/18
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.) 20/8/18
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
8.	Microscope 107919,109052,109905,107111, 1217200	05	Not available	11Years	8 yrs	3 yrs	Unserviceable & Very old
9.	Infra-red lamp	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
10.	Ophthalmoscope	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
11.	Microscope complete Ste C eye Pice 10 x12	02	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
12.	Deboned Tally Camphor (Japan)	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
13.	Money screw	03	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
14.	Stage & Ocular Microscope	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
15.	Sterilizer High Power	01	Not available	11Years	8 yrs	3 yrs	Unserviceable
16.	Liver Biopsy Set	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
17.	Wooden Table Long	04	Not available	11Years	8 yrs	3 yrs	Broken & Very old
18.	Revolving Stool	04	Not available	11Years	8 yrs	3 yrs	Broken & Very old
19.	Philips Group Lamp	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
20.	Bacteriological Incubator	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
21.	Systronic Digital PH Meter	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
22.	Binocular Research Microscope	02	Not available	11Years	8 yrs	3 yrs	Unrepairable
23.	Blood Cell Counter	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable

Items no. 8 to 23 of medicine have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M.)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
24.	Voltage Stabilizer	01	Not available	11Years	8 yrs	3 yrs	Unrepairable & Very old
25.	D.C Calculator	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
26.	Mini Always Refrigerator	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
27.	Bajaj Ceiling Fan	02	Not available	11Years	8 yrs	3 yrs	Unrepairable & Very old
28.	Always Voltage Stabilizer	02	Not available	11Years	8 yrs	3 yrs	Unrepairable & Very old
29.	Automatic Pipette washer	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
30.	Slide cabinet cupboard c 100 Slides	01	Not available	11Years	8 yrs	3 yrs	Broken
31.	Vacuum Pump	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
32.	Stabilizer pressure filter	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
33.	BOD Incubator	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
34.	Vacuum pump C variable temp c thermos Table	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
35.	Electric autoclave	01	Not available	11Years	8 yrs	3 yrs	Of no use discardable
36	Godrej Prime English Typewriter	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
37.	Kit Bag	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
38.	Remi Make Revolution	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
39.	Spectronic 20 Spectrophotometer	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable

Item no. 24 to 39 of Medicine have been physically verified and found unserviceable.

(B.C. Patel)
Asstt Comptroller, BVC

(R.K. Sinha)
Asstt Prof, LPM

(M.K. Sinha)
Asstt Prof, Anat

(C.M)
Chairman Animal Nutrition

(S.Samnata Ray)
(Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
40.	Flake mini magnetic stirrer hot plate IL capacity	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
41	Graph PH Meter C Instruction Manual	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
42.	Automatic Pipette micropipette	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
43.	Godrej Refrigerator	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
44.	Over Head Projector	01	Not available	11Years	8 yrs	3 yrs	Unrepairable & Veryold
45.	(B.P) Apparatus Digital	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
46.	Electrical Call Boll	01	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
47.	Computer with Accessories	01	Not available	11Years	8 yrs	3 yrs	Unrepairable
48	Floor Mat	03	Not available	11Years	8 yrs	3 yrs	Of no use so discardable
49.	Wooden Chair (Teak Ply cane Seated)	06	Not available	11Years	8 yrs	3 yrs	Broken & very old
50.	Printer (Make HP)	01	Not available	11Years	8 yrs	3 yrs	Unrepairable & Very old

ANATOMY

1	2	3	4	5	6	7	8
1	Old fan- old model	08	Not available in record.	25 years	15 years	10 years	Unrepairable & Very old
2	Old freeze -old model	01	do	25 years	10 years	15 years	Unrepairable & Very old
3	cryostat	01	do	25 years	10 years	15 years	Of no use so discardable
4	Hot air oven old	04	do	20 years	10 years	10 years	Unrepairable & Very old
5	Automatic tissue processor	02	do	20 years	10 years	10 years	Of no use so discardable
6	Automatic Knife sharpener	02	do	12 years	6 years	6 years	Of no use discardable

(B.C. Patel) *8/18* *Item no. 40 to 50 of Medicine and* *25/8/18* *6 of Anatomy have been physically verified and found unserviceable.*
 Asstt Comptroller, BVC (R.K Sinha) (M.K. Sinha) (E.M) (S.Samnata Ray)
 Asstt Prof, LPM Asstt Prof, Anat Chairman Animal Nutrition (Dean, BVC)

Sl. No	Name of Article	Qty.	Price at the Time of Purchase	Period of Article Under Stock Register	Period of Serviceable Items	Period of Unserviceable Item	Remarks
7	HP Computer old	01	do	10 years	6 years	6 years	Unrepairable
8	CPU old	01	do	do	do	do	Unrepairable
9	Compound Microscope	25	do	20 years	10 years	10 years	Unrepairable
10	Iron trolley	02	do	30 years	10 years	20 years	Junk & Very old
11	Large Boiling aluminium Pan	01	do	8 years	5 years	3 years	Of no use so discardable

Item no. 7 to 11 of Anatomy dept. have been physically verified and found unserviceable.

B.C. Patel
 (B.C. Patel)
 Asstt Comptroller, BVC

R.K. Sinha
 (R.K. Sinha)
 Asstt Prof, LPM

M.K. Sinha
 (M.K. Sinha)
 Asstt Prof, Anat

C.M.
 (C.M)
 Chairman Animal Nutrition

S. Samnata Ray
 (S. Samnata Ray)
 (Dean, BVC)